

PRODUCT PRICE LIST APRIL 2019

LOW & MID FREQUENCY SPEAKERS							
21" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
21LEX1600Nd	Sub	1400W AES	25-1800 Hz	Ferrite	98,5 dB	19,9 kg	583,63

18" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
18LEX1600Nd	Sub	1600W AES	35-1000 Hz	Nd	97 dB	9,5 kg	475,20
18PW1400Fe	Sub	1400W AES	25-1800 Hz	Ferrite	98 dB	16,9 kg	371,57
18P1200Nd/N	Sub	1200W AES	25-2000 Hz	Nd	98 dB	8,5 kg	461,75
18P1000FeV2	Sub	1200W AES	25-2000 Hz	Ferrite	98 dB	13,8 kg	320,50
18PWB1000Fe	Sub	1000W AES	20-2000 Hz	Ferrite	96,5 dB	13,6 kg	320,50
18G550	Sub	900W AES	25-1500 Hz	Ferrite	98 dB	12,6 kg	359,55
18LX60V2	Sub	700W AES	25-1000 Hz	Ferrite	98 dB	11,7 kg	285,11
18WRS600	Sub	600W AES	35-1000 Hz	Ferrite	98 dB	8,7 kg	215,00
SM118/N (EOL)	Sub	400W AES	30-3000 Hz	Ferrite	97 dB	7 kg	193,65

15" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
15LEX1600Nd (NEW)	Sub	1600W AES	40-1500 Hz	Nd	96 dB	8,8 kg	461,83
15P1000Fe/V2	Sub/Low	1000W AES	30-2000 Hz	Ferrite	97 dB	12,1 kg	286,62
15P80Nd	Low/Mid bass	800W AES	25-4000 Hz	Nd	100 dB	6 kg	394,63
15P80Fe/N	Low/Mid bass	800W AES	30-4000 Hz	Ferrite	101 dB	12,5 kg	286,62
15MC700Nd (NEW)	Low/Mid Bass	700W AES	25-1800 Hz	Nd	100 dB	4,2 kg	284,20
15MC700	Low/Mid Bass	700W AES	45-4000 Hz	Ferrite	100 dB	7,8 kg	227,77
15MC500	Low/Mid bass	500W AES	50-5000 Hz	Ferrite	98,5 dB	6,2 kg	170,82
15MCS500	Low/Mid bass	500W AES	50-4000 Hz	Ferrite	97 dB	6,4 kg	147,90
15LX60V2	Sub/Low	700W AES	30-1500 Hz	Ferrite	98 dB	10,2 kg	233,46
15G40 (EOL)	Sub/Low	700W AES	25-1500 Hz	Ferrite	97 dB	10,4 kg	245,20
15LW30	Low/Mid bass	500W AES	35-4000 Hz	Nd	99 dB	4,47 kg	243,36
15MI100	Mids	450W AES	30-4000 Hz	Ferrite	101 dB	7,8 kg	182,64
15WR400	Low/Mid bass	400W AES	40-4000 Hz	Ferrite	99 dB	6,1 kg	169,32
15WRS400	Low/Mid bass	400W AES	40-4000 Hz	Ferrite	99 dB	6,25 kg	144,84
SM115/N	Low/Mid bass	400W AES	30-3000 Hz	Ferrite	98 dB	6,5 kg	140,03

12" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
12P1000Nd	Sub/Low	900W AES	35-2500 Hz	Nd	96 dB	5,4 kg	339,82
12P80Nd/V2	Low/Mid bass	700W AES	25-4000 Hz	Nd	101 dB	5,6 kg	357,48
12P80Fe/V2	Low/Mid bass	700W AES	25-4000 Hz	Ferrite	100 dB	11,8 kg	239,70
12MC700Nd (NEW)	Low/Mid bass	700W AES	60-4000 Hz	Nd	99 dB	3,7 kg	263,90
12MC500	Low/Mid bass	500W AES	50-5500 Hz	Ferrite	97,8 dB	5,86 kg	153,12
12MCS500	Low/Mid bass	500W AES	65-5000 Hz	Ferrite	97 dB	6 kg	138,72
12LX60V2	Sub/Low	700W AES	35-2000 Hz	Ferrite	96 dB	9,7 kg	195,04
12G40	Low/Mid bass	500W AES	35-4000 Hz	Ferrite	97 dB	7,1 kg	158,98
12LW30N (EOL)	Low/Mid bass	450W AES	35-5000 Hz	Nd	96 dB	3,83 kg	217,05
12MI100	Mids	450W AES	40-4000 Hz	Ferrite	100 dB	7,2 kg	162,37
SM112/N	Low/Mid bass	400W AES	35-4000 Hz	Ferrite	95,2 dB	5,65 kg	133,91
12WR400	Low/Mid bass	400W AES	50-5000 Hz	Ferrite	97 dB	5,5 kg	141,78
12WRS400	Low/Mid bass	400W AES	45-4000 Hz	Ferrite	97 dB	5,5 kg	117,30

PRODUCT PRICE LIST APRIL 2019

SM212	Low/Mid bass	350W AES	45-6000 Hz	Ferrite	98 dB	4,6 kg	116,69
12GA50 (EOL)	Full Range	250W AES	60-18000 Hz	Ferrite	102 dB	3,55 kg	94,72
12BR70	Low/Mid bass	125W RMS	25-4000 Hz	Ferrite	94,5 dB	4,15 kg	91,00
12E120 (EOL)	Low/Mid bass	150W RMS	50-6000 Hz	Ferrite	102 dB	10 kg	206,40

10" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
10LW30/N (EOL)	Low/Mid bass	450W AES	35-3500 Hz	Nd	94 dB	3,75 kg	195,12
10MCF400Nd	Mids	400W AES	300-5000 Hz	Nd	102 dB	6,2 kg	542,62
10G40	Low/Mid bass	400W AES	45-4000 Hz	Ferrite	96 dB	5,7 kg	137,84
10MC700Nd	Low/Mid bass	700W AES	60-4000 Hz	Nd	97 dB	3,6 kg	253,75
10MC500	Low/Mid bass	500W AES	60-6000 Hz	Ferrite	97 dB	5,7 kg	147,12
10MCS500	Low/Mid bass	500W AES	65-5000 Hz	Ferrite	96 dB	5,7 kg	129,41
10MI100	Mids	350W AES	70-4000 Hz	Ferrite	101 dB	7,1 kg	157,08
10WR300	Low/Mid bass	300W AES	50-5000 Hz	Ferrite	95 dB	4 kg	98,35
10WRS300	Low/Mid bass	300W AES	45-4000 Hz	Ferrite	95 dB	3,5 kg	81,79
SM110/N	Low/Mid bass	200W AES	45-6500 Hz	Ferrite	95 dB	3,5 kg	77,38
10BR60V2	Low/Mid bass	100W RMS	30-5000 Hz	Ferrite	90,6 dB	2,87 kg	90,74

8" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
8P300Fe/N	Low/Mid bass	300W AES	50-8000 Hz	Ferrite	95,4 dB	4,03 kg	117,00
8MC500Nd (NEW)	Low/Mid bass	500W AES	80-6000 Hz	Nd	98 dB	2,8 kg	184,73
8MC300Nd	Low/Mid bass	300W AES	80-4000 Hz	Nd	96 dB	1,9 kg	155,00
8LW30	Low/Mid bass	250W AES	65-6000 Hz	Nd	95 dB	2,35 kg	145,80
8MI100	Mids	250W AES	150-7000 Hz	Ferrite	98 dB	3,1 kg	89,12
8WR300	Low/Mid bass	300W AES	65-4000 Hz	Ferrite	95 dB	3,3 kg	91,00
8WRS300 (NEW)	Low/Mid bass	300W AES	70-4000 Hz	Ferrite	95 dB	3,25 kg	75,00
8G40	Low/Mid bass	250W AES	65-6000 Hz	Ferrite	95 dB	2,35 kg	99,58
SM108	Low/Mid bass	150W AES	65-6000 Hz	Ferrite	95 dB	3,1 kg	77,92
8Woofers/PV2* (EOL)	Low/Mid bass	50W RMS	30-6500 Hz	Ferrite	90 dB	1 kg	70,40
8BR40/N	Low/Mid bass	50W RMS	35-6000 Hz	Ferrite	90 dB	1 kg	54,13
BF8R	Low/Mid bass	50W RMS	30-6000 Hz	Ferrite	90 dB	1,17 kg	39,24

6,5" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
6MCF200Nd	Mids	200W AES	400-12000 Hz	Nd	97 dB	2,3 kg	301,46

6" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
6MI100	Mids	250W AES	150-6000 Hz	Ferrite	97 dB	2,2 kg	75,51
6P200Nd	Low/Mid bass	200W AES	60-9000 Hz	Nd	92 dB	1,9 kg	135,74
6P200Fe	Low/Mid bass	200W AES	60-9000 Hz	Ferrite	92,7 dB	3,1 kg	96,14
6G40Nd	Mid bass	170W AES	70-9000 Hz	Nd	95 dB	2 kg	124,62
6G40Fe	Mid bass	170W AES	70-9000 Hz	Ferrite	94,3 dB	3 kg	84,57
605Nd (EOL)	Mids	125W AES	150-8000 Hz	Nd	100 dB	1,5 kg	132,97
6MI90 (EOL)	Mids	125W AES	150-8000 Hz	Ferrite	98 dB	2,2 kg	63,10
6B30/P	Low/Mid bass	50W RMS	50-12000 Hz	Ferrite	90 dB	1,25 kg	44,43
CM6 (NEW)	Mid bass	80W RMS	150-6000 Hz	Ferrite	90,7 dB	2,16 kg	48,29

PRODUCT PRICE LIST APRIL 2019

5" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
5P200Nd	Low/Mid bass	150W AES	70-10000 Hz	Nd	92 dB	1,3 kg	113,49
5P200Fe	Low/Mid bass	150W AES	70-10000 Hz	Ferrite	92 dB	2,2 kg	72,51
5G40Nd/N	Mid Bass	100W AES	90-17000 Hz	Nd	93 dB	1,3 kg	102,36
5MP60/N	Low/Mid bass	50W RMS	50-12000 Hz	Ferrite	91 dB	1 kg	55,20

4" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
4FR40 (NEW)	Full Range	40W AES	100-20000 Hz	Ferrite	87 dB	0,55 kg	24,85
4FR40Nd (NEW)	Full Range	40W AES	100-20000 Hz	Nd	88 dB	0,28 kg	39,46

3" UNITS	APPLICATION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
3FR30 (NEW)	Full Range	30W AES	160-20000 Hz	Ferrite	91 dB	0,57 kg	20,71
3FR30Nd (NEW)	Full Range	30W AES	180-20000 Hz	Nd	91 dB	0,25	37,27

COAXIAL SPEAKERS

15" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
15CX400Nd	Full Range	400/90W AES	50-20000 Hz	Nd	98/105 dB	7,22 kg	493,68
15CX400Fe	Full Range	400/90W AES	35-20000 Hz	Ferrite	96/105 dB	11,91 kg	383,03
15XA38Nd	Full Range	350/90W AES	25-20000 Hz	Nd	99/105 dB	6,8 kg	462,64

12" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
12CX400Nd	Full Range	400/90W AES	50-20000 Hz	Nd	98/105 dB	7,18 kg	464,68
12CX400Fe	Full range	400/90W AES	35-20000 Hz	Ferrite	96/105 dB	11,3 kg	349,41
12XA30Nd	Full range	350/90W AES	35-20000 Hz	Nd	98/105 dB	6,3 kg	436,07
12KX (EOL)	Full range	300/100W AES	35-17000 Hz	Ferrite	98/105 dB	7,85 kg	358,16

10" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
10CX300Fe	Full Range	300/50W AES	50-20000 Hz	Ferrite	96,5/104 dB	5,1 kg	284,71

8" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
8CX300Nd/N	Full Range	250/50W AES	40-20000 Hz	Nd	96/102 dB	2,6 kg	302,55
8CX300Fe	Full range	250/50W AES	80-20000 Hz	Ferrite	96/104 dB	4,6 kg	224,40
8BX/N (EOL)	Full range	100/20W AES	25-20000 Hz	Ferrite	92/102 dB	2,9 kg	140,60

6" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
6CX200Nd/N	Full Range	200/40W AES	60-20000 Hz	Nd	92/102 dB	1,9 kg	279,53
6CX200Fe	Full range	200/40W AES	60-20000 Hz	Ferrite	93/102 dB	3,58 kg	166,85

5" UNITS	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
5CX200Nd/N	Full Range	150/40W AES	60-20000 Hz	Nd	92,5/102 dB	1,85 kg	251,03
5CX200Fe	Full range	150/40W AES	69-20000 Hz	Ferrite	92,5/102 dB	2,59 kg	147,84

PRODUCT PRICE LIST APRIL 2019

COMPRESSION DRIVERS							
2" UNITS	THROAT	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
CP850Nd	2"	65W AES	0,5-20 kHz	Nd	112 dB	4,4 kg	605,77
CP800/Ti	2"	65W AES	0,5-20 kHz	Ferrite	112 dB	10,3 kg	377,67
CP750Nd (EOL)	2"	60W AES	0,6-20 kHz	Nd	112 dB	3,5 kg	433,55
CP750/Ti	2"	70W AES	0,6-20 kHz	Ferrite	110 dB	7 kg	247,22
SMC60	2"	60W AES	0,6-18 kHz	Ferrite	109 dB	4,5 kg	191,70
1,4" UNITS	THROAT	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
CP855Nd	1,4"	100 W AES	0,5-20 kHz	Nd	112 dB	4,3 kg	473,15
CP755Nd	1,4"	60W AES	0,6-20 kHz	Nd	112 dB	3 kg	421,55
CP755Nd/Al	1,4"	60W AES	0,6-20 kHz	Nd	112 dB	3,21 kg	421,55
CP755/Ti	1,4"	70W AES	0,6-20 kHz	Ferrite	110 dB	6,7 kg	233,45
SMC65Nd	1,4"	50W AES	0,6-20 kHz	Nd	108 dB	2,2 kg	274,38
SMC65	1,4"	50W AES	0,7-18 kHz	Ferrite	107 dB	4,2 kg	175,14
CD-14Fe	1,4"	60W AES	0,5-16 kHz	Ferrite	107 dB	3,3 kg	154,26
CD-14Nd	1,4"	60W AES	0,6-17 kHz	Nd	108 dB	1,9 kg	234,47
CD1014Fe/Nd	1,4"	70W AES	0,7-19 kHz	Ferrite	110 dB	2 kg	97,75
CD1014Nd (EOL)	1,4"	70W AES	0,7-19 kHz	Nd	110 dB	1,5 kg	148,83
CD1014Fe (EOL)	1,4"	70W AES	0,7-19 kHz	Ferrite	110 dB	2 kg	96,30
1" UNITS	THROAT	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
CD10Nd/N	1"	70W AES	0,7-19 kHz	Nd	111 dB	1,2 kg	144,90
CD10Fe/N	1"	70W AES	0,7-19 kHz	Ferrite	109 dB	1,3 kg	68,11
CP380/M	1"	70W AES	0,8-20 kHz	Ferrite	107 dB	3,25 kg	151,13
CP385Nd	1"	70W AES	0,8-20 kHz	Nd	107 dB	1,35 kg	204,45
CD-11Fe (NEW)	1"	70W AES	0,7-19 kHz	Ferrite	109 dB	1,8 kg	86,28
CD-11Fe/S (NEW)	1"	70W AES	0,7-19 kHz	Ferrite	109 dB	1,8 kg	95,41
CD-11Nd (NEW)	1"	70W AES	0,7-19 kHz	Nd	111 dB	1,3 kg	157,33
CD1Fe	1"	30W AES	1-20 kHz	Ferrite	109 dB	0,8 kg	43,48
CD1Nd	1"	30W AES	2-20 kHz	Nd	110 dB	0,4 kg	62,88
CD1S	1"	30W AES	2-20 kHz	Ferrite	106 dB	1,3 kg	45,90
SMC280/N	1"	50W AES	0,8-18 kHz	Ferrite	105 dB	1,3 kg	71,81
SMC280-ST (EOL)	1"	50W AES	0,8-18 kHz	Ferrite	105 dB	1,3 kg	69,37
SMC1050/N (EOL)	1"	40W AES	0,8-18 kHz	Ferrite	108 dB	2,2 kg	98,35
SMC225Nd	1"	40W AES	0,8-20 kHz	Nd	108 dB	0,7 kg	118,99
SMC8060/N	80 x 60° horn	50W AES	0,8-18 kHz	Ferrite	107 dB	1,5 kg	90,04

COMPRESSION DRIVERS WITH WAVE GUIDES							
1,4" UNITS	THROAT	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
WL5	1,4"	50W AES	0,6-20 kHz	Nd	108 dB	2,62 kg	755,06
0,8" UNITS	THROAT	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
WL4	0,8"	40W AES	0,7-20 kHz	Nd	105 dB	1,1 kg	393,75
WL4Fe/N	0,8"	70W AES	0,7-20 kHz	Ferrite	104 dB	1,81	226,38
WL3	0,8"	40W AES	0,7-20 kHz	Nd	105 dB	1,00	380,77
WL3/Fe	0,8"	70W AES	1-18 kHz	Ferrite	102 dB	1,70	170,82

These units are priced individually, but sold in pair.

PRODUCT PRICE LIST APRIL 2019

PLEATED DIAPHRAGM TWEETERS							
TYPE	DISPERSION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
TPL150/H	80 x 30°	80W AES	0,7-23 kHz	Nd	102 dB	3,7 kg	524,10
TPL150-B(lack)		80W AES	1-23 kHz	Nd	99 dB	2,2 kg	488,13
TPL150-S(ilver)		80W AES	1-23 kHz	Nd	99 dB	2,2 kg	488,13
TPL200B		120W AES	1-23 kHz	Nd	101 dB	2,75 kg	560,34
TPL200S		120W AES	1-23 kHz	Nd	101 dB	2,75 kg	560,34
TPL200H		120W AES	1-23 kHz	Nd	104 dB	3,55 kg	602,53
TPL75		40W AES	1-23 kHz	Nd	92 dB	0,7 kg	319,73

COMPRESSION TWEETERS							
TYPE	DISPERSION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
CP22	40° conical	25W AES	4-20 kHz	Ferrite	107 dB	1,6 kg	91,11
CP21/F	140 x 40°	25W AES	3,5-20 kHz	Ferrite	105 dB	1,7 kg	95,39
CP12/N	40° conical	15W AES	3-20 kHz	Ferrite	107 dB	0,75 kg	40,73
CP16	40° conical	15W AES	3-20 kHz	Ferrite	105 dB	0,76 kg	38,05
CP09	90 x 60°	15W AES	2-20 kHz	Ferrite	104 dB	0,75 kg	49,30

DOME TWEETERS							
TYPE	DISPERSION	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
T2030	60° conical	15W RMS	1,5-20 kHz	Ferrite	95 dB	0,7 kg	48,23

HORNS							
TYPE	THROAT	DISPERSION	HORN MATERIAL	CUT OFF FREQUENCY	WEIGHT	€	
TD460/N	2"	60° x 40°	Rigid Polyurethane	800 Hz	2 kg	175,79	
TD385	1,4"	80° x 50°	Aluminium	800 Hz	1,2 kg	71,90	
TD365	1,4"	60° x 50°	Aluminium	800 Hz	1,2 kg	71,90	
TD194	1"	90° x 40°	Aluminium	1,2 kHz	1 kg	54,56	
TD164	1"	60° x 40°	Aluminium	1,2 kHz	1 kg	53,42	
TD8060	1"	80° x 60°	Polycarbonate	1,5 kHz	0,23 kg	18,64	
TD-WL4 (TPL)	0,47 x 8,19"	90° x 20°	Aluminium	800 Hz	2 kg	84,89	

PASSIVE FILTERS							
TYPE	THROAT	POWER	CROSS FREQ.	FILTER SLOPE	WEIGHT	€	
FD350	3-way	600W RMS	2-7 kHz	12 dB/Oct	0,9 kg	93,09	
F300 (EOL)	3-way	300W RMS	0,8-5 kHz	12 dB/Oct		99,36	
3V Hi-Fi	3-way	300W RMS	0,8-5 kHz	12-12-6 dB/Oct	0,56 kg	70,58	
FD250	2-way	600W RMS	2 kHz	12 dB/Oct	0,89 kg	79,75	
FD212	2-way	600W RMS	1,2 kHz	12 dB/Oct	0,89 kg	86,61	
FD2XC1 (EOL)	2-way	600W RMS	2,2 kHz	12 dB/Oct	0,8 kg	67,06	
FD2XA	2-way	600W RMS	1,8 kHz	12 dB/Oct	0,8 kg	71,81	
FD2CX	2-way	500W RMS	2,6 kHz	24 dB/Oct	0,8 kg	81,73	
FD2CXFe	2-way	400W RMS	3,8 kHz	12 dB/Oct	0,8 kg	31,52	
2V Hi-Fi	2-way	300W RMS	3 kHz	6 - 12 dB/Oct	0,275 kg	26,00	
F100	High pass	300W RMS	6,3 kHz	18 dB/Oct High-Pass	0,14 kg	25,93	
F130	High pass	300W RMS	3 kHz	18 dB/Oct High-Pass	0,14 kg	28,89	

These filters are priced individually, but sold per pair.

PRODUCT PRICE LIST APRIL 2019

FULL RANGE SPEAKERS							
12" UNITS	THROAT	POWER	FREQ. RANGE	MAGNET	SENS.	WEIGHT	€
12GA50	Full Range	250W AES	70-18000 Hz	Ferrite	102 dB	3,55 kg	94,72
10" UNITS	THROAT	POWER	FREQ. RANGE	MAGNET	SENS.	WEIGHT	€
10 AG/N (EOL)	Full range	100W RMS	60-17000 Hz	Ferrite	97 dB	1,55 kg	52,02
8" UNITS	THROAT	POWER	FREQ. RANGE	MAGNET	SENS.	WEIGHT	€
8AG/N	Full range	35W RMS	60-18000 Hz	Ferrite	96 dB	1,5 kg	39,03
4" UNITS	THROAT	POWER	FREQ. RANGE	MAGNET	SENS.	WEIGHT	€
4FR40Nd	Full range	40W AES	100-20000 Hz	Nd	88 dB	0,28 kg	39,46
3" UNITS	THROAT	POWER	FREQ. RANGE	MAGNET	SENS.	WEIGHT	€
3FR30	Full range	30W AES	160-20000 Hz	Ferrite	91 dB	0,57 kg	20,71
3FR30Nd	Full range	30W AES	200-20000 Hz	Nd	92 dB	0,25 kg	37,27

ACCESSORIES		
VM30	Back plastic cover for 5" mid-range speakers - depth 140 mm.	5,41
VM100	Back plastic cover for 8" mid-range speakers - depth 120 mm.	5,41
RE8/N	Plastic diffusing grid for 8" P.A. loudspeakers.	12,45
AM21	Tapered adapter for a 1" driver on a 2" horn.	67,30
AM-1	Adapter for mounting a 1" bolt-on driver on a 1" screw-on horn.	16,81

PINS FOR LINE ARRAYS - SGS CERTIFIED			
PIN Ø8 x 12 mm	Line Array Pin - PIN Ø8 x 12 mm	Bulk packaging: 50	17,22
PIN Ø8 x 16 mm	Line Array Pin - PIN Ø8 x 16 mm / with safety wire	Bulk packaging: 20	18,35
PIN Ø10 x 20 mm	Line Array Pin - PIN Ø10 x 20 mm / with safety wire	Bulk packaging: 20	20,49
PIN Ø12 x 30 mm	Line Array Pin - PIN Ø12 x 30 mm / with safety wire	Bulk packaging: 20	48,25

CMV SERIES SPEAKERS							
TYPE	RANGE	POWER	FREQ. RATE	MAGNET	SENS.	WEIGHT	€
6CMV2	Low/Mid bass	220W AES	95-8000 Hz	Ferrite	94 dB	2,2 kg	52,86
8CMV2	Low/Mid bass	250W AES	80-8000 Hz	Ferrite	94 dB	2,4 kg	61,68
10CMV2	Low/Mid bass	250W AES	60-5000 Hz	Ferrite	95 dB	3,1 kg	74,01
12CMV2	Low/Mid bass	320W AES	50-6000 Hz	Ferrite	96 dB	4,6 kg	105,73
15CMV2	Low/Mid bass	350W AES	40-4000 Hz	Ferrite	97 dB	6 kg	132,17

PRODUCT PRICE LIST APRIL 2019

PROFESSIONAL SERIES RECONE KITS		
12" UNITS		
D12PW1400Fe	Recone kit 21PW1400/Fe	181,43
D21LEX1600Nd	Recone kit 21LEX1600Nd	268,09
18" UNITS		
D18G400	Recone kit 18G400	154,38
D18G40	Recone kit 18G40	130,80
D18G50	Recone kit 18G50	195,87
D18G550	Recone kit 18G550	176,11
D18G550H/L	Recone kit 18G550H/L	182,19
D18LX60V2	Recone kit 18LX60V2	116,87
D18P1000Fe	Recone kit 18P1000Fe	149,14
D18P1000FeV2	Recone kit for 18P1000feV2	121,14
D18P1000Nd	Recone kit 18P1000Nd	135,81
D18P1000Nd/N	Recone kit 18P1000Nd/N	135,81
D18P1200Nd	Recone kit 18P1200Nd	134,42
D18P1200NdN	Recone kit 18P1200NdN	134,42
D18PWB1000Fe	Recone kit for 18PWB1000Fe	129,97
D18PWB1400Fe	Recone kit for 18PWB1400Fe	115,69
D18P80Nd	Recone kit 18P80Nd	128,67
DSM118	Recone kit 18"SM - SM118 - SM118/N	93,51
D18SW1600Nd	Recone kit 18SW1600Nd	140,02
D18WRS600	Recone kit 18WRS600	95,72
15" UNITS		
D15G400	Recone kit 15G400	122,66
D15G40	Recone kit 15G40	103,16
D15G450/N	Recone kit 15G450/N	153,78
D15KX	Recone kit 15KX	105,42
D15LW30	Recone kit 15LW30	109,98
D15LX60V2	Recone kit 15LX60V2	106,28
D15MC500	Recone kit 15MC500	93,48
D15MI100	Recone kit 15MI100	113,73
D15P1000Fe	Recone kit 15P1000Fe	112,07
D15P1000Fe/V2	Recone kit 15P1000Fe/v2	124,17
D15P1000Nd	Recone kit 15P1000Nd	122,88
D15P1200Nd/N	Recone kit 15P1200Nd/N	154,40
D15P80Nd	Recone kit 15P80Nd	128,11
D15P80Fe	Recone kit 15P80Fe - 15P80Fe/N	104,55
DSM115K	Recone kit SM115/K	84,60
DSM115N	Recone kit SM115/N - SM115	86,64
D15SW1300/Nd	Recone kit 15SW1300/Nd	124,44
D15WR400	Recone kit 15WR400	88,54
D15CXA400/Nd	Recone kit 15CXA400/Nd	109,81
D15XA38Nd	Recone kit 15XA38Nd	136,20

PRODUCT PRICE LIST APRIL 2019

12" UNITS

D12G40	Recone kit 12G40	95,71
D12GA50	Recone kit 12GA50	42,86
D12KX	Recone kit 12KX	95,91
D12LW30N	Recone kit 12LW30/N	67,86
D12LX60V2	Recone kit 12LX60V2	96,78
D12MC500	Recone kit 12MC500	79,61
D12MI100	Recone kit 12MI100	92,82
D12P1000Nd	Recone kit 12P1000Nd	140,55
D12P80/Nd	Recone kit 12P80/Nd	107,01
D12P80Nd/V2	recone kit 12P80Nd/V2	143,65
D12P80/Fe	Recone kit 12P80/Fe	97,40
D12P80Fe/V2	recone kit 12P80Fe/V2	114,92
DSM212	Recone kit SM212	60,52
DSM112/N	Recone kit SM112/N	67,41
D12SW1300Nd	Recone kit 12SW1300Nd	116,06
D12WR400	Recone kit 12WR400	72,83
D12XA30Nd	Recone kit 12XA30Nd	106,12
D12XC30	Recone kit 12XC30	88,65
D12CXA400/Nd	Recone kit 12XCA400/Nd	85,72

10" UNITS

D102Nd/N	Recone kit 102Nd/N	78,40
D10G200	Recone kit 10G200	54,66
D10G40	Recone kit 10G40	76,28
D10LW30/N	Recone kit 10LW30/N	57,04
D10MC500	Recone kit 10MC500	79,61
D10MCF400ND	Recone kit 10MCF400Nd	148,05
D10MI100	Recone kit 10MI100	92,67
DSM110/N	Recone kit SM110/N	51,15
D10WR300	Recone kit 10WR300	55,60
D10XC25	Recone kit 10XC25	84,54
D10CX300Fe	Recone kit 10cx300Fe	76,98

8" UNITS

D8BX	Recone kit 8BX	61,70
D8BX/N	recone kit 8BX/N	47,36
D8G40	Recone kit 8G40 - 8LW30	49,87
D8MI100	Recone kit 8MI100	57,94
DSM108	Recone kit SM108	40,68
D8XC20	Recone kit 8XC20	60,03
D8P300/fe	Recone kit 8P300/Fe	68,99
D8CX300ND/N	Recone kit 8CX300/NdN	61,50
D8CX300Fe	Recone kit 8CX300Fe	61,48
D8CM/B	Recone kit 8CM/B	38,57

PRODUCT PRICE LIST APRIL 2019
6" UNITS

D6CX200/Nd	Recone kit 6CX200/Nd, Nd/N, Fe	72,31
D6G40Nd	Recone kit 6G40Nd	50,27
D6G40Fe	Recone kit 6G40Fe	51,77
D6MI100	Recone kit 6MI100	54,13
D6MI90	Recone kit 6MI90 - 605Nd	58,41
D6MCF200ND	Recone kit 6MCF200Nd	72,47
D6P200Fe	Recone kit 6P200Fe	71,89
D6P200Nd	Recone kit 6P200Nd	71,89
D605Nd	Recone kit 605Nd	71,18

5" UNITS

D5CX200/ND	Recone kit 5CX200/Nd, Nd/N, Fe.	59,22
D5P200Fe	recone kit 5P200/Fe	61,07

PROFESSIONAL SERIES DIAPHRAGMS

DCD10Nd/N	Diaphragm CD10Nd/N-Fe/N - CD1014Nd/N - Fe/N	38,14
DCP09	Diaphragm CP09/N - CP12/N - CP16	23,79
DCD14	Diaphragm CD14/Fe - CD14/Nd	78,69
DCP22	Diaphragm CP21/F - CP22 - CP25	49,56
DCP350	Diaphragm CP350 (15XT - 12XT)	54,25
DCP350/Ti	Diaphragm CP350/Ti	75,22
DCP385Nd	Diaphragm CP385Nd	63,37
DCP380/M	Diaphragm CP380/M	57,28
D5CXFe	Diaphragm HF 5CX-6CX/Fe	38,82
DCP600Ti	Diaphragm CP600Ti (15XM - 15KX - 12XM - 12KX - SMC55 - CP550Ti)	137,70
DCP650/Ti	Diaphragm CP650/Ti	136,34
DCP755/Al	Diaphragm CP755/Al	80,31
DCP750/Ti-16	Diaphragm CP750/Ti - CP750/Nd - CP755/Ti - CP755/Nd (16 ohm)	73,75
DCP750/Ti-8	Diaphragm CP750/Ti - CP750/Nd - CP755/Ti - CP755/Nd (8 ohm)	73,75
DCP800Ti	Diaphragm CP800/Ti - CP850/Nd - CP855/Nd	175,82
DSMC2012	Diaphragm SMC2012 - SMC2012/N	35,23
DSMC220 PM4	Diaphragm SMC220 PM4, 8CX Nd/N	33,03
DSMC225Nd	Diaphragm SMC225Nd - CP220 - 6CX200Nd - 5CX200Nd - WL3 - WL4 - 5"-6" CXNd	46,64
DWL4/Fe	Diaphragm WL4/Fe	31,54
DSMC280ST	Diaphragm SMC280ST - SMC8060 - SMC1050/N	36,43
DSMC60	Diaphragm SMC60 - SMC65Nd - WL5	75,63
DT2010	Diaphragm T2010	21,81
DT2030	Diaphragm T2030	26,28
DTWT8BX	Diaphragm TWT 8BX - 8CX - 12CX - CP10	21,48
DXC HF	Diaphragm XC HF units - 16 Ohm	46,35
DTPL-150	Diaphragm kit for TPL-150(H)	104,25
DTPL-200	Diaphragm kit for TPL-200(H)	172,22
DTPL-75	Diaphragm kit for TPL-75(H)	78,07
DTW8BX	Diaphragm TWT 8BX 8CX 12CX CP10	21,48
DWLFE	Diaphragm WL3Fe -WL4Fe	31,54
DXC HF	Diaphragm XC 16 OH	46,35