



PROFESSIONAL LOUDSPEAKERS

PRICELIST FEBRUARY 2018

WWW.BEYMA.COM

| LOW & MID FREQUENCY SPEAKERS |              |            |               |         |         |           |          |
|------------------------------|--------------|------------|---------------|---------|---------|-----------|----------|
| Type                         | Application  | Power      | Freq. Range   | Magnet  | Sens.   | Weight/Kg | E.U. ex  |
| <b>21" UNITS</b>             |              |            |               |         |         |           |          |
| 21PW1400Fe                   | Sub          | 1400 W AES | 25 - 1800 Hz  | Ferrite | 98,5 dB | 19,9      | € 472,25 |
| <b>18" UNITS</b>             |              |            |               |         |         |           |          |
| 18LEX1600Nd                  | Sub          | 1600 W AES | 35 - 1000 Hz  | Nd      | 97 dB   | 9,5       | € 475,20 |
| 18PW1400Fe                   | Sub          | 1400 W AES | 25 - 1800 Hz  | Ferrite | 98 dB   | 16,9      | € 366,08 |
| 18P1200Nd/N                  | Sub          | 1200 W AES | 25 - 2000 Hz  | Nd      | 98 dB   | 8,5       | € 454,92 |
| 18P1000FeV2                  | Sub          | 1200 W AES | 25 - 2000 Hz  | Ferrite | 98 dB   | 13,8      | € 315,77 |
| 18PWB1000Fe                  | Sub          | 1000 W AES | 20 - 2000 Hz  | Ferrite | 96,5 dB | 13,6      | € 315,77 |
| 18G550                       | Sub          | 900 W AES  | 25 - 1500 Hz  | Ferrite | 98 dB   | 12,6      | € 354,24 |
| EoL (*) 18P80Nd              | Sub          | 800 W AES  | 25 - 4000 Hz  | Nd      | 100 dB  | 7         | € 395,85 |
| 18LX60V2                     | Sub          | 700W AES   | 25 - 1000 Hz  | Ferrite | 98 dB   | 11,7      | € 280,90 |
| NEW 18WRS600                 | Sub          | 600 W AES  | 35 - 1000 Hz  | Ferrite | 98 dB   | 8,7       | € 215,00 |
| EoL (*) SM118/N              | Sub          | 400 W AES  | 30 - 3000 Hz  | Ferrite | 97 dB   | 7         | € 193,65 |
| <b>15" UNITS</b>             |              |            |               |         |         |           |          |
| 15SW1300Nd                   | Sub/Low      | 1300 W AES | 25 - 1800 Hz  | Nd      | 97 dB   | 7,7       | € 451,63 |
| 15P1000Fe/V2                 | Sub/Low      | 1000 W AES | 30 - 2000 Hz  | Ferrite | 97 dB   | 12,1      | € 286,62 |
| 15P80Nd                      | Low/Mid bass | 800 W AES  | 25 - 4000 Hz  | Nd      | 100 dB  | 6         | € 394,63 |
| 15P80Fe/N                    | Low/Mid bass | 800 W AES  | 30 - 4000 Hz  | Ferrite | 101 dB  | 12,5      | € 286,62 |
| 15MC500                      | Low/Mid bass | 500 W AES  | 50 - 5000 Hz  | Ferrite | 98,5 dB | 6,2       | € 170,82 |
| 15MCS500                     | Low/Mid bass | 500 W AES  | 50 - 4000 Hz  | Ferrite | 97 dB   | 6,4       | € 147,90 |
| 15LX60V2                     | Sub/Low      | 700 W AES  | 30 - 1500 Hz  | Ferrite | 98 dB   | 10,2      | € 233,46 |
| 15G40                        | Sub/Low      | 700 W AES  | 25 - 1500 Hz  | Ferrite | 97 dB   | 10,4      | € 245,20 |
| NEW 15MC700                  | Low/Mid bass | 700 W AES  | 45 - 4000 Hz  | Ferrite | 98 dB   | 7,5       | € 220,00 |
| 15LW30                       | Low/Mid bass | 500 W AES  | 35 - 4000 Hz  | Nd      | 99 dB   | 4,47      | € 243,36 |
| 15MI100                      | Mids         | 450 W AES  | 30 - 4000 Hz  | Ferrite | 101 dB  | 7,8       | € 182,64 |
| 15WR400                      | Low/Mid bass | 400 W AES  | 40 - 4000 Hz  | Ferrite | 99 dB   | 6,1       | € 169,32 |
| 15WRS400                     | Low/Mid bass | 400 W AES  | 40 - 4000 Hz  | Ferrite | 99 dB   | 6,25      | € 144,84 |
| EoL (*) SM115/K              | Sub/Low      | 500 W AES  | 25 - 2000 Hz  | Ferrite | 98 dB   | 10,2      | € 216,48 |
| SM115/N                      | Low/Mid bass | 400 W AES  | 30 - 3000 Hz  | Ferrite | 98 dB   | 6,5       | € 140,03 |
| <b>12" UNITS</b>             |              |            |               |         |         |           |          |
| 12SW1300Nd                   | Sub/Low      | 1300 W AES | 25 - 1800 Hz  | Nd      | 96 dB   | 7,2       | € 405,59 |
| 12P1000Nd                    | Sub/Low      | 900 W AES  | 30 - 2500 Hz  | Nd      | 96 dB   | 5,4       | € 339,82 |
| 12P80Nd/V2                   | Low/Mid bass | 700 W AES  | 25 - 4000 Hz  | Nd      | 101 dB  | 5,6       | € 357,48 |
| 12P80Fe/V2                   | Low/Mid bass | 700 W AES  | 25 - 4000 Hz  | Ferrite | 100 dB  | 11,8      | € 239,70 |
| 12MC500                      | Low/Mid bass | 500 W AES  | 50 - 5500 Hz  | Ferrite | 97,8 dB | 5,86      | € 153,12 |
| 12MCS500                     | Low/Mid bass | 500 W AES  | 65 - 5000 Hz  | Ferrite | 97 dB   | 6         | € 138,72 |
| 12LX60V2                     | Sub/Low      | 700 W AES  | 35 - 2000 Hz  | Ferrite | 96 dB   | 9,7       | € 195,04 |
| 12G40                        | Low/Mid bass | 500 W AES  | 35 - 4000 Hz  | Ferrite | 97 dB   | 7,1       | € 158,98 |
| 12LW30N                      | Low/Mid bass | 450 W AES  | 35 - 5000 Hz  | Nd      | 96 dB   | 3,83      | € 217,05 |
| 12MI100                      | Mids         | 450 W AES  | 40 - 4000 Hz  | Ferrite | 100 dB  | 7,2       | € 162,37 |
| SM112/N                      | Low/Mid bass | 400 W AES  | 35 - 4000 Hz  | Ferrite | 95,2 dB | 5,65      | € 133,91 |
| 12WR400                      | Low/Mid bass | 400 W AES  | 50 - 5000 Hz  | Ferrite | 97 dB   | 5,5       | € 141,78 |
| 12WRS400                     | Low/Mid bass | 400 W AES  | 45 - 4000 Hz  | Ferrite | 97 dB   | 5,5       | € 117,30 |
| SM212                        | Low/Mid bass | 350 W AES  | 45 - 6000 Hz  | Ferrite | 98 dB   | 4,6       | € 116,69 |
| 12GA50                       | Full Range   | 250 W AES  | 60 - 18000 Hz | Ferrite | 102 dB  | 3,55      | € 94,72  |
| 12BR70                       | Low/Mid bass | 125 W RMS  | 25 - 4000 Hz  | Ferrite | 94,5 dB | 4,15      | € 91,00  |
| EoL (*) 12E120               | Low/Mid bass | 150 W RMS  | 50 - 6000 Hz  | Ferrite | 102 dB  | 10        | € 206,40 |
| <b>10" UNITS</b>             |              |            |               |         |         |           |          |
| 10LW30/N                     | Low/Mid bass | 450 W AES  | 35 - 3500 Hz  | Nd      | 94 dB   | 3,75      | € 195,12 |
| 10MCF400Nd                   | Mids         | 400 W AES  | 300 - 5000 Hz | Nd      | 102 dB  | 6,2       | € 534,60 |
| 10G40                        | Low/Mid bass | 400 W AES  | 45 - 4000 Hz  | Ferrite | 96 dB   | 5,7       | € 135,80 |
| 10MC500                      | Low/Mid bass | 500 W AES  | 60 - 6000 Hz  | Ferrite | 97 dB   | 5,7       | € 144,94 |

AED Distribution nv-SA ,  
Bedrijvenpark De Veert 13/004  
2830 Willebroek Belgium

Tel. +32 3 860 7650 Fax +32 3 860 7651

EoL(\*) : End of Life,  
please check availability when ordering



| Type     | Application  | Power     | Freq. Range  | Magnet  | Sens.   | Weight/Kg |          |
|----------|--------------|-----------|--------------|---------|---------|-----------|----------|
| 10MCS500 | Low/Mid bass | 500 W AES | 65 - 5000 Hz | Ferrite | 96 dB   | 5,7       | € 127,50 |
| 10MI100  | Mids         | 350 W AES | 70 - 4000 Hz | Ferrite | 101 dB  | 7,1       | € 154,76 |
| 10WR300  | Low/Mid bass | 300 W AES | 50 - 5000 Hz | Ferrite | 95 dB   | 4         | € 96,90  |
| 10WRS300 | Low/Mid bass | 300 W AES | 45 - 4000 Hz | Ferrite | 95 dB   | 3,5       | € 80,58  |
| SM110/N  | Low/Mid bass | 200 W AES | 45 - 6500 Hz | Ferrite | 95 dB   | 3,5       | € 76,24  |
| 10BR60V2 | Low/Mid bass | 100 W RMS | 30 - 5000 Hz | Ferrite | 90,6 dB | 2,87      | € 89,40  |

| 8" UNITS |              |              |           |               |         |         | E.U. ex |          |
|----------|--------------|--------------|-----------|---------------|---------|---------|---------|----------|
|          | 8P300Fe/N    | Low/Mid bass | 300 W AES | 50 - 8000 Hz  | Ferrite | 95,4 dB | 4,03    | € 117,00 |
| NEW      | 8MC300ND     | Low/Mid bass | 300 W AES | 80 - 4000 Hz  | Nd      | 96 dB   | 1,9     | € 155,00 |
|          | 8LW30        | Low/Mid bass | 250 W AES | 65 - 6000 Hz  | Nd      | 95 dB   | 2,35    | € 145,80 |
|          | 8MI100       | Mids         | 250 W AES | 150 - 7000 Hz | Ferrite | 98 dB   | 3,1     | € 87,80  |
| NEW      | 8WR300       | Low/Mid bass | 300 W AES | 65 - 4000 Hz  | Ferrite | 95 dB   | 3,3     | € 91,00  |
| NEW      | 8WRS300      | Low/Mid bass | 300 W AES | 70 - 4000 Hz  | Ferrite | 95 dB   | 3,25    | € 75,00  |
|          | 8G40         | Low/Mid bass | 250 W AES | 65 - 6000 Hz  | Ferrite | 95 dB   | 2,35    | € 98,11  |
|          | SM108        | Low/Mid bass | 150 W AES | 65 - 6000 Hz  | Ferrite | 95 dB   | 3,1     | € 76,77  |
| EoL (*)  | 8Woofers/PV2 | Low/Mid bass | 50 W RMS  | 30 - 6500 Hz  | Ferrite | 90 dB   | 1       | € 70,40  |
|          | 8BR40/N      | Low/Mid bass | 50 W RMS  | 35 - 6000 Hz  | Ferrite | 90 dB   | 1       | € 53,33  |
| NEW      | CM8B         | Low/Mid bass | 100 W RMS | 40 - 5000 Hz  | Ferrite | 92,4 dB | 2,18    | € 50,93  |
| NEW      | BF8R         | Low/Mid bass | 50 W RMS  | 30 - 6000 Hz  | Ferrite | 90 dB   | 1,17    | € 39,24  |

| 6,5" UNITS |           |      |           |                |    |       | E.U. ex |          |
|------------|-----------|------|-----------|----------------|----|-------|---------|----------|
|            | 6MCF200Nd | Mids | 200 W AES | 400 - 12000 Hz | ND | 97 dB | 2,3     | € 297,00 |

| 6" UNITS |         |              |           |               |         |         | E.U. ex |          |
|----------|---------|--------------|-----------|---------------|---------|---------|---------|----------|
|          | 6MI100  | Mids         | 250 W AES | 150 - 6000 Hz | Ferrite | 97 dB   | 2,2     | € 74,40  |
|          | 6P200Nd | Low/Mid bass | 200 W AES | 60 - 9000 Hz  | Nd      | 92 dB   | 1,9     | € 133,74 |
|          | 6P200Fe | Low/Mid bass | 200 W AES | 60 - 9000 Hz  | Ferrite | 92,7 dB | 3,1     | € 94,72  |
|          | 6G40Nd  | Mid bass     | 170 W AES | 70 - 9000 Hz  | Nd      | 95 dB   | 2       | € 122,77 |
|          | 6G40Fe  | Mid bass     | 170 W AES | 70-9000 Hz    | Ferrite | 94,3 dB | 3       | € 83,32  |
| EoL (*)  | 605Nd   | Mids         | 125 W AES | 150 - 8000 Hz | Nd      | 100 dB  | 1,5     | € 132,97 |
| EoL (*)  | 6MI90   | Mids         | 125 W AES | 150 - 8000 Hz | Ferrite | 98 dB   | 2,2     | € 63,10  |
|          | 6B30/P  | Low/Mid bass | 50 W RMS  | 50 - 12000 Hz | Ferrite | 90 dB   | 1,25    | € 43,77  |
| NEW      | CM6     | Mid bass     | 80 W RMS  | 150 - 6000 Hz | Ferrite | 90,7 dB | 2,16    | € 48,29  |

| 5" UNITS |          |              |           |               |         |       | E.U. ex |          |
|----------|----------|--------------|-----------|---------------|---------|-------|---------|----------|
|          | 5P200Nd  | Low/Mid bass | 150 W AES | 70 - 10000 Hz | Nd      | 92 dB | 1,3     | € 111,81 |
|          | 5P200Fe  | Low/Mid bass | 150 W AES | 70 - 10000 Hz | Ferrite | 92 dB | 2,2     | € 71,44  |
|          | 5G40Nd/N | Mid Bass     | 100 W AES | 90 - 17000 Hz | Nd      | 93 dB | 1,3     | € 100,85 |
|          | 5MP60/N  | Low/Mid bass | 50 W RMS  | 50 - 12000 Hz | Ferrite | 91 dB | 1       | € 54,38  |

| 4" UNITS |         |            |          |              |         |       | E.U. ex |         |
|----------|---------|------------|----------|--------------|---------|-------|---------|---------|
| NEW      | 4FR40   | Full Range | 40 W AES | 100-20000 Hz | Ferrite | 87 dB | 0,55    | € 24,48 |
| NEW      | 4FR40Nd | Full Range | 40 W AES | 100-20000 Hz | Nd      | 88 dB | 0,28    | € 38,88 |

| 3" UNITS |         |            |          |              |         |       | E.U. ex |         |
|----------|---------|------------|----------|--------------|---------|-------|---------|---------|
| NEW      | 3FR30   | Full Range | 30 W AES | 160-20000 Hz | Ferrite | 91 dB | 0,57    | € 20,40 |
| NEW      | 3FR30Nd | Full Range | 30 W AES | 180-20000 Hz | Nd      | 91 dB | 0,25    | € 36,72 |

## COAXIAL SPEAKERS

| Type      | Range      | Power      | Freq. Range   | Magnet        | Sens.   | Weight/Kg |         |          |
|-----------|------------|------------|---------------|---------------|---------|-----------|---------|----------|
| 15" UNITS |            |            |               |               |         |           | E.U. ex |          |
|           | 15CXA400Nd | Full range | 400/90 W AES  | 50 - 20000 Hz | Nd      | 98/105 dB | 7,22    | € 486,38 |
|           | 15CXA400Fe | Full range | 400/90 W AES  | 35 - 20000 Hz | Ferrite | 96/105 dB | 11,91   | € 377,37 |
|           | 15XA38Nd   | Full range | 350/90 W AES  | 25 - 20000 Hz | Nd      | 99/105 dB | 6,8     | € 455,80 |
| 12" UNITS |            |            |               |               |         |           | E.U. ex |          |
|           | 12CXA400Nd | Full range | 400/90 W AES  | 50 - 20000 Hz | Nd      | 98/105 dB | 7,18    | € 464,68 |
|           | 12CXA400Fe | Full range | 400/90 W AES  | 35 - 20000 Hz | Ferrite | 96/105 dB | 11,3    | € 349,41 |
|           | 12XA30Nd   | Full range | 350/90 W AES  | 35 - 20000 Hz | Nd      | 98/105 dB | 6,3     | € 436,07 |
| EoL (*)   | 12KX       | Full range | 300/100 W AES | 35 - 17000 Hz | Ferrite | 98/105 dB | 7,85    | € 358,16 |



| Type                       | Application   | Power        | Freq. Range   | Magnet  | Sens.       | Weight/Kg |                |
|----------------------------|---------------|--------------|---------------|---------|-------------|-----------|----------------|
| <b>10" UNITS</b>           |               |              |               |         |             |           | <b>E.U. ex</b> |
| 10CX300Fe                  | Full range    | 300/50 W AES | 50 - 20000 Hz | Ferrite | 96,5/104 dF | 5,1       | € 284,71       |
| <b>8" UNITS</b>            |               |              |               |         |             |           | <b>E.U. ex</b> |
| 8CX300Nd/N                 | Full range    | 250/50 W AES | 40 - 20000Hz  | Nd      | 96/102 dB   | 2,6       | € 302,55       |
| 8CX300Fe                   | Full range    | 250/50 W AES | 80 - 20000Hz  | Fe      | 96/104 dB   | 4,6       | € 224,40       |
| EoL (*) 8BX/N              | Full range    | 100/20 W AES | 25 -20000 Hz  | Ferrite | 92/102 dB   | 2,9       | € 140,60       |
| <b>6" UNITS</b>            |               |              |               |         |             |           | <b>E.U. ex</b> |
| 6CX200Nd/N                 | Full range    | 200/40 W AES | 60 - 20000 Hz | Nd      | 92/102 dB   | 1,9       | € 279,53       |
| 6CX200Fe                   | Full range    | 200/40 W AES | 60 - 20000 Hz | Ferrite | 93/102 dB   | 3,58      | € 166,85       |
| <b>5" UNITS</b>            |               |              |               |         |             |           | <b>E.U. ex</b> |
| 5CX200Nd/N                 | Full range    | 150/40 W AES | 60 - 20000 Hz | Nd      | 92,5/102dB  | 1,85      | € 251,03       |
| 5CX200Fe                   | Full range    | 150/40 W AES | 69 - 20000 Hz | Ferrite | 92,5/102dB  | 2,59      | € 147,84       |
| <b>COMPRESSION DRIVERS</b> |               |              |               |         |             |           |                |
| Type                       | Throat        | Power        | Freq. Range   | Magnet  | Sens.       | Weight/Kg |                |
|                            |               |              |               |         |             |           | <b>E.U. ex</b> |
| CP850Nd                    | 2"            | 65 W AES     | 0,5 - 20 KHz  | Nd      | 112 dB      | 4,4       | € 596,82       |
| CP800/Ti                   | 2"            | 65 W AES     | 0,5 - 20 KHz  | Ferrite | 112 dB      | 10,3      | € 372,09       |
| CP750Nd                    | 2"            | 60 W AES     | 0,6 - 20 KHz  | Nd      | 112 dB      | 3,5       | € 433,55       |
| CP750/Ti                   | 2"            | 70 W AES     | 0,6 - 20 KHz  | Ferrite | 110 dB      | 7         | € 243,56       |
| SMC60                      | 2"            | 60 W AES     | 0,6 - 18 KHz  | Ferrite | 109 dB      | 4,5       | € 188,87       |
|                            |               |              |               |         |             |           | <b>E.U. ex</b> |
| CP855Nd                    | 1,4"          | 100 W AES    | 0,5 - 20 KHz  | Nd      | 112 dB      | 4,3       | € 466,16       |
| CP755Nd                    | 1,4"          | 60 W AES     | 0,6 - 20 KHz  | Nd      | 112 dB      | 3         | € 415,32       |
| CP755Nd/Al                 | 1,4"          | 60 W AES     | 0,6 - 20 KHz  | Nd      | 112 dB      | 3,21      | € 415,32       |
| CP755/Ti                   | 1,4"          | 70 W AES     | 0,6 - 20 KHz  | Ferrite | 110 dB      | 6,7       | € 230,00       |
| SMC65Nd                    | 1,4"          | 50 W AES     | 0,6 - 20 KHz  | Nd      | 108 dB      | 2,2       | € 270,33       |
| SMC65                      | 1,4"          | 50 W AES     | 0,7 - 18 KHz  | Ferrite | 107 dB      | 4,2       | € 172,55       |
| CD-14Fe                    | 1,4"          | 60 W AES     | 0,5 - 16 KHz  | Ferrite | 107 dB      | 3,3       | € 151,98       |
| CD-14Nd                    | 1,4"          | 60 W AES     | 0,6 - 17 KHz  | Nd      | 108 dB      | 1,9       | € 231,00       |
| CD1014Nd                   | 1,4"          | 70 W AES     | 0,7 - 19 KHz  | Nd      | 110 dB      | 1,5       | € 148,83       |
| CD1014Fe                   | 1,4"          | 70 W AES     | 0,7 - 19 KHz  | Ferrite | 110 dB      | 2         | € 96,30        |
|                            |               |              |               |         |             |           | <b>E.U. ex</b> |
| CD10Nd/N                   | 1"            | 70 W AES     | 0,7 - 19 KHz  | Nd      | 111 dB      | 1,2       | € 142,76       |
| CD10Fe/N                   | 1"            | 70 W AES     | 0,7 - 19 KHz  | Ferrite | 109 dB      | 1,3       | € 67,11        |
| CP380/M                    | 1"            | 70 W AES     | 0,8 - 20 KHz  | Ferrite | 107 dB      | 3,25      | € 148,90       |
| CP385Nd                    | 1"            | 70 W AES     | 0,8 - 20 KHz  | Nd      | 107 dB      | 1,35      | € 201,43       |
| SMC1050/N                  | 1"            | 40 W AES     | 0,8 - 18 KHz  | Ferrite | 108 dB      | 2,2       | € 98,35        |
| CD1Fe                      | 1"            | 30 W AES     | 1 - 20 KHz    | Ferrite | 109 dB      | 0,8       | € 42,00        |
| CD1Nd                      | 1"            | 30 W AES     | 2 - 20 KHz    | Nd      | 110 dB      | 0,4       | € 59,00        |
| CD1S                       | 1"            | 30 W AES     | 2 - 20 KHz    | Ferrite | 106 dB      | 1,3       | € 45,90        |
| SMC280/N                   | 1"            | 50 W AES     | 0,8 - 18 KHz  | Ferrite | 105 dB      | 1,3       | € 70,75        |
| EoL (*) SMC280-ST          | 1"            | 50 W AES     | 0,8 - 18 KHz  | Ferrite | 105 dB      | 1,3       | € 69,37        |
| SMC225Nd                   | 1"            | 40 W AES     | 0,8 - 20 KHz  | Nd      | 108 dB      | 0,7       | € 117,23       |
| SMC8060/N                  | 80 x 60° horn | 50 W AES     | 0,8 - 18 KHz  | Ferrite | 107 dB      | 1,5       | € 88,70        |
| EoL (*) SMC8060            | 80 x 60° horn | 50 W AES     | 0,8 - 18 KHz  | Ferrite | 107 dB      | 1,5       | € 86,97        |



| Type  | Application | Power    | Freq. Range  | Magnet  | Sens.  | Weight/Kg |                |
|---|-------------|----------|--------------|---------|--------|-----------|----------------|
| <b>COMPRESSION DRIVERS WITH WAVE GUIDES</b> |             |          |              |         |        |           | <b>E.U. ex</b> |
| Type  | Throat      | Power    | Freq. Range  | Magnet  | Sens.  | Weight/Kg |                |
| <b>1,4" UNITS</b>                           |             |          |              |         |        |           |                |
| WL5   | 1,4"        | 50 W AES | 0,6 - 20 KHz | Nd      | 108 dB | 2,62      | € 743,90       |
| <b>0,8" UNITS</b>                           |             |          |              |         |        |           |                |
| WL4   | 0,8"        | 40 W AES | 0,7 - 20 KHz | Nd      | 105 dB | 1,1       | € 387,93       |
| WL4Fe/N                                     | 0,8"        | 70 W AES | 0,7 - 20 KHz | Ferrite | 104 dB | 1,81      | € 223,03       |
| WL3   | 0,8"        | 40 W AES | 0,7 - 20 KHz | Nd      | 105 dB | 1         | € 375,14       |
| WL3/Fe                                      | 0,8"        | 70 W AES | 1 - 18 KHz   | Ferrite | 102 dB | 1,7       | € 168,30       |

These units are priced individually, but sold per pair.

| <b>PLEATED DIAPHRAGM TWEETERS</b> |          |           |              |        |        |           | <b>E.U. ex</b> |
|-----------------------------------|----------|-----------|--------------|--------|--------|-----------|----------------|
| Type                              |          | Power     | Freq. Range  | Magnet | Sens.  | Diaphragm | Weight/Kg      |
| TPL150/H                          | 80 x 30° | 80 W AES  | 0,7 - 23 KHz | Nd     | 102 dB | Kapton    | 3,70           |
| TPL150-B(lack)                    |          | 80 W AES  | 1 - 23 KHz   | Nd     | 99 dB  | Kapton    | 2,20           |
| TPL150-S(ilver)                   |          | 80 W AES  | 1 - 23 KHz   | Nd     | 99 dB  | Kapton    | 2,20           |
| TPL200B                           |          | 120 W AES | 1 - 23 KHz   | Nd     | 101 dB | Kapton    | 2,75           |
| TPL200S                           |          | 120 W AES | 1 - 23 KHz   | Nd     | 101 dB | Kapton    | 2,75           |
| TPL200H                           |          | 120 W AES | 1 - 23 KHz   | Nd     | 104 dB | Kapton    | 3,55           |
| TPL75                             |          | 40 W AES  | 1 - 23 KHz   | Nd     | 92 dB  | Kapton    | 0,70           |

| <b>COMPRESSION TWEETERS</b> |             |          |              |         |        |           | <b>E.U. ex</b> |
|-----------------------------|-------------|----------|--------------|---------|--------|-----------|----------------|
| Type                        | Dispersion  | Power    | Freq. Range  | Magnet  | Sens.  | Diaphragm | Weight/Kg      |
| CP22                        | 40° conical | 25 W AES | 4 - 20 KHz   | Ferrite | 107 dB | Al        | 1,60           |
| CP21/F                      | 140 x 40°   | 25 W AES | 3,5 - 20 KHz | Ferrite | 105 dB | Al        | 1,70           |
| CP12/N                      | 40° conical | 15 W AES | 3 - 20 KHz   | Ferrite | 107 dB | Al        | 0,75           |
| CP16                        | 40° conical | 15 W AES | 3 - 20 KHz   | Ferrite | 105 dB | Al        | 0,76           |
| CP09                        | 90 x 60°    | 15 W AES | 2 - 20 KHz   | Ferrite | 104 dB | Al        | 0,75           |

| <b>DOME TWEETERS</b> |             |          |              |         |       |            | <b>E.U. ex</b> |
|----------------------|-------------|----------|--------------|---------|-------|------------|----------------|
| Type                 | Dispersion  | Power    | Freq. Range  | Magnet  | Sens. | Dispersion | Weight/Kg      |
| T2030                | 60° conical | 15 W RMS | 1,5 - 20 KHz | Ferrite | 95 dB | 60°        | 0,70           |

| <b>HORNS</b> |              |            |                         |        |             |           | <b>E.U. ex</b> |
|--------------|--------------|------------|-------------------------|--------|-------------|-----------|----------------|
| Type         | Throat       | Dispersion | Horn material           |        | Cut off fr. | Weight/Kg |                |
| TD460/N      | 2"           | 60° x 40°  | Rigid Polyurethane Foam |        | 800 Hz      | 2,00      | € 175,79       |
| TD385        | 1,4"         | 80° x 50°  | Aluminium               |        | 800 Hz      | 1,20      | € 71,90        |
| TD365        | 1,4"         | 60° x 50°  | Aluminium               |        | 800 Hz      | 1,20      | € 71,90        |
| TD194        | 1"           | 90° x 40°  | Aluminium               | Square | 1,2 KHz     | 1,00      | € 54,56        |
| TD164        | 1"           | 60° x 40°  | Aluminium               | Square | 1,2 KHz     | 1,00      | € 53,42        |
| TD8060       | 1"           | 80° x 60°  | Polycarbonate           |        | 1,5 KHz     | 0,23      | € 18,64        |
| TDWL4 (TPL)  | 0,47 x 8,19" | 90° x 20°  | Aluminium               |        | 800 Hz      | 2,00      | € 84,89        |

| <b>PASSIVE FILTERS</b> |           |           |             |                     |           | <b>E.U. ex</b> |
|------------------------|-----------|-----------|-------------|---------------------|-----------|----------------|
| Type                   |           | Power     | Cross.Freq. | Filter slope        | Weight/Kg |                |
| FD350                  | 3-way     | 600 W RMS | 2 - 7 KHz   | 12 dB/Oct           | 0,90      | € 91,72        |
| F300                   | 3-way     | 300 W RMS | 0,8 - 5 KHz | 12 dB/Oct           |           | € 99,36        |
| 3V Hi-Fi               | 3-way     | 300 W RMS | 0,8 - 5 KHz | 12-12-6 db/Oct      | 0,56      | € 69,54        |
| FD250                  | 2-way     | 600 W RMS | 2 KHz       | 12 dB/Oct           | 0,89      | € 78,57        |
| FD212                  | 2-way     | 600 W RMS | 1,2 KHz     | 12 dB/Oct           | 0,89      | € 85,33        |
| FD2XC1                 | 2-way     | 600 W RMS | 2,2 KHz     | 12 dB/Oct           | 0,80      | € 67,06        |
| FD2XA                  | 2-way     | 600 W RMS | 1,8 KHz     | 12 dB/Oct           | 0,80      | € 70,75        |
| FD2CX                  | 2-way     | 500 W RMS | 2,6 KHz     | 24 dB/Oct           | 0,80      | € 80,53        |
| FD2CXFe                | 2-way     | 400 W RMS | 3,8 KHz     | 12 dB/Oct           | 0,80      | € 31,06        |
| 2V Hi-Fi               | 2-way     | 300 W RMS | 3 KHz       | 6 - 12 dB/Oct       | 0,28      | € 25,61        |
| F100                   | high pass | 300 W RMS | 6,3 KHz     | 18 dB/Oct High-Pass | 0,14      | € 25,55        |
| F130                   | high pass | 300 W RMS | 3 KHz       | 18 dB/Oct High-Pass | 0,14      | € 28,46        |

These filters are priced individually, but sold per pair.



| Type                       | Application   | Power        | Freq. Range        | Magnet        | Sens.        | Weight/Kg        |                |
|----------------------------|---|--------------|--------------------|---------------|--------------|------------------|----------------|
| <b>FULL RANGE SPEAKERS</b> |   |              |                    |               |              |                  | <b>E.U. ex</b> |
| <b>Type</b>                |   | <b>Power</b> | <b>Freq. Range</b> | <b>Magnet</b> | <b>Sens.</b> | <b>Weight/Kg</b> |                |
| <b>12" UNITS</b>           |   |              |                    |               |              |                  |                |
| <b>12GA50</b>              | Full range  | 250 W AES    | 70 - 18000 Hz      | Ferrite       | 102 dB       | 3,55             | <b>€ 94,72</b> |
| <b>10" UNITS</b>           |   |              |                    |               |              |                  |                |
| <b>10 AG/N</b>             | Full range  | 100 W RMS    | 60 -17000 Hz       | Ferrite       | 97 dB        | 1,55             | <b>€ 52,02</b> |
| <b>8" UNITS</b>            |   |              |                    |               |              |                  |                |
| <b>8AG/N</b>               | Full range  | 35 W RMS     | 60 - 18000 Hz      | Ferrite       | 96 dB        | 1,5              | <b>€ 39,03</b> |
| <b>3" UNITS</b>            |   |              |                    |               |              |                  |                |
| <b>3FR30</b>               | Full range  | 30 W AES     | 160-20000 Hz       | Ferrite       | 91 dB        | 0,57             | <b>€ 20,40</b> |
| <b>3FR30Nd</b>             | Full range  | 30 W AES     | 200-20000 Hz       | Nd            | 92 dB        | 0,25             | <b>€ 36,72</b> |
| <b>ACCESSORIES</b>         |   |              |                    |               |              |                  | <b>E.U. ex</b> |
| <b>VM30</b>                | Back plastic cover for 5" mid-range speakers - depth 140 mm.    |              |                    |               |              |                  | <b>€ 5,33</b>  |
| <b>VM100</b>               | Back plastic cover for 8" mid-range speakers - depth 120 mm.    |              |                    |               |              |                  | <b>€ 5,33</b>  |
| <b>RE8/N</b>               | Plastic diffusing grid for 8" P.A. loudspeakers.                |              |                    |               |              |                  | <b>€ 12,27</b> |
| <b>AM21</b>                | Tapered adapter for a 1" driver on a 2" horn.                   |              |                    |               |              |                  | <b>€ 66,31</b> |
| <b>AM-1</b>                | Adapter for mounting a 1" bolt-on driver on a 1" screw-on horn. |              |                    |               |              |                  | <b>€ 16,56</b> |

**Supersedes all previous lists.  
Subject to changes without prior notice.**

