

Lighting Consoles

Our extensive range of lighting console is based on our ZerOS operating system. Continuously updated and developed using Linux and a familiar window based navigation system. ZerOS is user friendly and can easily be customised to any operator's individual way of working. All ZerOS consoles can be extended with our ZerOS Wing to give you access to more faders at once. We also offer smaller fader consoles for those times when a small, simple solution is required.

FLX (2048, 4086, 8192 DMX Channels)

Compact, powerful and portable console with 2 Universes over DMX, or 4/8/16 Universes over Art-Net or sACN. Built in multi-touch display, 4 encoders, 24 channel or playback faders and no patch limitations.

0020-000005-00	4 Universe (2048) with Schuko/French	€ 4,995.00
0020-000010-00	8 Universe (4086) with Schuko/French	€ 6,170.00
0020-000036-00	16 Universe (8192) with Schuko/French	€ 8,375.00
9805-000058-00	Flightcase	€ 620.00
5630-000043-00	Dust cover	€ 50.00

FLX S24

FLX S consoles are small, powerful and easy to use. With the ability to control 48 or 96 fixtures, built in 7" touch screen monitor and 1 universe of DMX. The FLX S24 is able to be 19" rackmounted and the FLX S48 comes with a monitor output.

0020-000026-00	1 Universe (512) with euro PSU	€ 1,595.00
0020-000028-00	2 Universe (1024) with euro PSU	€ 1,895.00
9805-000086-00	Flightcase	€ 470.00
0000-000000-00	Dust Cover	€ 40.00
9820-000015-00	Mounting brackets	€ 60.00

FLX S48

FLX S consoles are small, powerful and easy to use. With the ability to control 48 or 96 fixtures, built in 7" touch screen monitor and 1 universe of DMX. The FLX S24 is able to be 19" rackmounted and the FLX S48 comes with a monitor output.

0020-000028-00	1 Universe (512) with euro PSU	€ 2,350.00
0020-000029-00	2 Universe (512) with euro PSU	€ 2,650.00
9805-000087-00	Flightcase	€ 530.00
0000-000000-00	Dust Cover	€ 50.00
9820-000015-00	Mounting brackets	€ 60.00

DMX Universe upgrades are available for FLX and FLX S consoles. For more information and to purchase these upgrades, please visit : zero88.com/software/zeros/upgrade

Solution & Solution XL (2048 DMX Channels)

Multipurpose consoles for controlling 248/296 devices (channels, moving lights or LEDs). Suitable for a variety of performance types, and users with varying levels of experience. 3 encoder wheels. Can be used with or without external monitor.

00-868-00	Solution incl dust cover	€ 4,395.00
00-869-00	Solution XL incl dust cover	€ 6,460.00
00-863-00	Flightcase (Solution)	€ 995.00
00-864-00	Flightcase (Solution XL)	€ 1,195.00
12-123-99	SMPTE/MIDI/Remote/CAN PCB upgrade	€ 160.00

Replay & Backup

SCD Server can be configured to act as any ZerOS lighting console. Ideal for backup of other ZerOS Consoles. or reply of scenes for architectural use. All console interfaces can be accessed by using an external monitor, mouse & keyboard.

0020-000002-01	SCD Server Pro	POA
00-887-00	Phantom ZerOS unlock dongle	€ 655.00

ZerOS Wing

The ZerOS Wing can be used to extend the fader count on any ZerOS lighting console. With a dedicated page and fader function button, it does truly add more control. ZerOS Wings can be physically attached to standard FLX Consoles.

0020-000016-00	with USB connection, feet & brackets	€ 1,565.00
9805-000059-00	Flightcase	€ 530.00

Juggler (24 DMX Channels)

Manual lighting control with 24 faders, timed cross fades and sequence functions. Suitable for basic lighting applications and users with limited knowledge or experience.

00-129-21	with Schuko/French lead	€ 660.00
00-766-00	Flightcase	€ 395.00

Level 6 (6 DMX Channels)

An excellent value manual lighting control desk, perfect where minimal control is all that is required. Basic lighting applications and users with limited knowledge or experience.

00-629-21	with Schuko/French lead	€ 230.00
-----------	-------------------------	----------

Zero 88 Portable Dimming

A comprehensive range of tough, industry-proven portable dimmers offering a range of power capabilities and socket types. Different models can be mounted on walls, in racks or attached to trusses / stands.

Alpha Pack 3 DMX (3 Channel)

Portable lightweight dimmer with 3 x 6.3A channels and overarching power limiter (10A, 13A or 16A, to suit socket-type). Ideal for distributed dimming and small on-site control. Freestanding, or (with bracket) can mount to IWB/Truss, stand or wall. 3 integral faders for direct control. Remote control via DMX. Convection cooled.

0011-000001-02	3 x 15A UK	€ 510.00
0011-000021-00	3 x powerCON TRUE1	€ 535.00
0011-000011-00	6 x Schuko	€ 510.00
0011-000012-00	6 x French	€ 510.00
0011-000010-00	6 x CEE22	€ 510.00
0011-000009-00	9 x Swiss	€ 510.00
00-620-00	Wall/Stand bracket with U bolt	€ 65.00

Betapack 3 DMX (6 Channel, 19" 4U Rack Mount)

19" Dimmer with 6 x 10A channels. Wall-mounting, rack-mounting or freestanding, it is ideal for any portable dimming requirement, as well as small installations. Available with a range of socket types, or hardwired. Convection cooled.

00-307-03	Hardwired	€ 860.00
00-307-11	12 x 15A UK	€ 925.00
00-307-21	12 x Schuko	€ 925.00
00-307-22	18 x Swiss	€ 925.00
00-307-23	12 x French	€ 925.00
00-307-61	12 x CEE17	€ 985.00
00-307-42	Socapex	€ 985.00
00-540-00	'Easycarry' handle & feet	€ 45.00

Spice Rack (12 Channel, 19" 3U Rack Mount)

High specification 12 x 10A fan cooled dimmer. Spice is the ideal dimmer for robust portable dimming requirements, such as rental & touring. Available with Socapex or Harting outputs.

01-300-41	Harting	€ 2,140.00
01-300-42	Socapex	€ 2,140.00

Zero 88 Installation Dimming

Chilli is a range of high-density wall-mounting convection cooled dimmer packs, available in 4, 6, 12 and 24 channel sizes and in 10A or 16A channel versions (Chilli 6 has 25A channels). MCBs protect each output (*Pro* versions have ND MCBs). Integral RCD protection an optional extra on most models. 18-button user-interface and backlit LCD screen enable easy setup of each channel's DMX patch, preheat, topset and dimmer-curve settings. Each Chilli also has internal programmable memories and sequences that are remotely accessible via Chilli control panels.

Chilli Pro - Standard Dimming

A range of convection cooled, standard dimming cabinets for use in any venue. Easy to set up and install and come in 10A, 16A, 25A and in 4, 6, 12 or 24 channels.

4 Channel

01-120-00	10A MCBs	€ 910.00
01-121-00	10A HF MCBs	€ 955.00

6 Channel

0011-000019-00	25A MCBs	€ 1,990.00
0011-000020-00	25A MCBs + RCD	€ 2,400.00

12 Channel

0011-000013-00	10A MCBs	€ 2,150.00
0011-000014-00	10A MCBs + RCD	€ 2,380.00
0011-000015-00	10A RCBOs	€ 2,970.00
0011-000016-00	16A MCBs	€ 2,450.00
0011-000017-00	16A MCBs + RCD	€ 2,730.00
0011-000018-00	16A RCBOs	€ 3,270.00

24 Channel

0011-000004-00	10A MCBs	€ 3,100.00
0011-000005-00	10A MCBs + RCD	€ 3,560.00
0011-000006-00	16A MCBs	€ 3,940.00
0011-000007-00	16A MCBs + RCD	€ 4,280.00

SCMR1232

Compact 12 channel DIN Rail mounted latching relay device for DMX controlled power switching of loads up to 32A each, 192A total. Channel loadings may be phase independent. Each relay also features a manual override switch. DMX start address set via rotary encoders. Unit requires containment, installation and appropriate protective breakers. Please ask your Zero 88 sales representative for more information on custom configured cabinet solutions using SCMR1232.

0016-000003-02	SCMR1232	€ 870.00
----------------	----------	----------

Chilli Pro - Bypass Dimming

Individual dimming channels can be switched to deliver mains power for intelligent fixtures, LED's, projectors and other non-dim loads - save wiring, simplify your set up and allowing you to connect your fixtures where you want them.

12 Channel

0001-000018-00	10A MCBs	€ 2,660.00
0001-000019-00	10A MCBs + RCD	€ 2,895.00
0001-000020-00	10A RCBOs	€ 3,480.00
0001-000021-00	16A MCBs	€ 3,000.00
0001-000022-00	16A MCBs + RCD	€ 3,225.00
0001-000023-00	16A RCBOs	€ 3,820.00

24 Channel

0001-000016-00	10A MCBs	€ 3,990.00
0001-000017-00	10A MCBs + RCD	€ 4,260.00
0001-000014-00	16A MCBs	€ 4,400.00
0001-000015-00	16A MCBs + RCD	€ 4,760.00

Chilli Pro - Relay options

Optional relays allow remotely controlled power switching via DMX. Relays can be used to control effects (such as kabuki drops and mirror balls), or to power intelligent fixtures, LED's, projectors and other non-dim loads. 4 Channel relay cards are also available for retrofit into any existing 12Ch MKII or any 24 channel Chilli Pro.

12 Channel

0002-000114-00	10A MCBs All Relay	€ 1,640.00
0002-000115-00	10A MCBs + RCD All Relay	€ 1,870.00
0002-000116-00	10A RCBOs All Relay	€ 2,460.00
0002-000117-00	16A MCBs All Relay	€ 1,710.00
0002-000118-00	16A MCBs + RCD All Relay	€ 1,940.00
0002-000119-00	16A RCBOs All Relay	€ 2,525.00

24 Channel

0002-000110-00	10A MCBs 12 dimming/12 relay	€ 3,260.00
0002-000111-00	10A MCBs + RCD 12 dimming/12 relay	€ 3,725.00
0002-000112-00	16A MCBs 12 dimming/12 relay	€ 4,000.00
0002-000113-00	16A MCBs + RCD 12 dimming/12 relay	€ 4,385.00

Chilli Installation Dimming - Accessories

A range of accessories for our Chilli dimmers. Relay cards can be retro-fitted to Chilli 12MKII or any 24 dimmer to convert groups of 4 dimmer-channels to DMX-controlled relays (max 12 relay channels per dimmer). Chilli panels and controls enable remote push-button access to a Chilli's internal scene-memories (independent of any control-console).

Control Panels

A range of wall mounted control panels. Enabling you to take advantage of the Chilli Net communication, you can recall pre desired scenes on the dimmer from any wall panel. Available in different button layouts and finishes.

01-200-00	10 Button panel SS	€ 210.00
01-202-00	10 Button panel brass	€ 230.00
01-203-00	5 Button panel SS	€ 210.00
01-204-00	5 Button panel brass	€ 230.00
01-205-00	2 Button panel SS	€ 210.00
01-206-00	2 Button panel brass	€ 230.00
01-201-00	Master controller	€ 390.00
01-207-00	LMO panel SS	€ 320.00
01-208-00	LMO panel Brass	€ 330.00
01-213-00	5 Button R&L SS	€ 210.00
01-214-00	5 Button R&L brass	€ 230.00

Back Boxes

A Selection of back box units for use with the ChilliNet Control Panels for wall mounting.

75-023-00	Back box 1G (Surface mount)	€ 6.00
75-023-50	Back box 2G (Surface mount)	€ 10.00
75-024-00	Back box plastic 1G (Dry lining)	€ 6.00
75-024-50	Back box plastic 2G (Dry lining)	€ 10.00
75-025-00	Back box metal 1G (Flush mount)	€ 6.00
75-025-50	Back box metal 2G (Flush mount)	€ 10.00

RetroFit Relay Cards

4 Channel retrofit relay cards allowing for the control of power to any non dim load. This retrofit relay card is designed for replacing 4 dim channels with relays in any already installed Chilli Pro 24 or the new Chilli MKII Pro 12.

0095-000108-00	4 Ch relay card + PSU	€ 350.00
0095-000109-00	4 Ch relay card	€ 290.00

Network Interfaces

Network devices to compliment and extend your control. The RS232 interface allows for ChilliNet products to connect to a range of control systems. Most commonly AMX and Crestron.

01-210-00	Netlink bridge	€ 760.00
01-211-00	RS232 Link	€ 370.00

DMX & Networking tools

A range of networking products to compliment any control system allowing for expansion and networking. From simple 1 Universe DMX splitters to multi-universe and Ethernet to DMX conversion, Wireless DMX tools and RDM compatible versions.

DMX Splitters (19" rack mount)*

Range of 19" 1U splitters, with single input and fully 1kV galvanic isolation between input and each of the outputs. All 8 output lines have DMX status indicators. RJ45 connections are wired to DMX specification and do not carry Ethernet traffic.

LF042-761RM	4 x 3 pin & 4 x 5 pin XLR	€ 559.00
LF042-761RM3	8 x 3 pin XLR	€ 559.00
LF042-761RM5	8 x 5 pin XLR	€ 599.00
LF042-761RJ45	8 x RJ45	€ 599.00

DIN rail DMX Splitters, Boosters & Merges

A range of DIN Rail mounting and hard-wired DMX tools for permanent installation into larger networks. A range of inputs & outputs configurations. Merge devices provide a choice of signal mixing.

LF060-5126	DMX Line Booster	€ 190.00
LF060-5129	DMX Splitter-Booster 1 in / 2 out	€ 400.00
LF060-5122	DMX Splitter-Booster 1 in / 4 out	€ 585.00
LF060-5123	as 5122, with individual I/O isolation	€ 660.00
LF060-5124	as 5123, with RDM	€ 660.00
LF060-5110	DMX Merge 2 in 2 out (HTP / LTP)	€ 660.00
LF060-5111	DMX Merge 3 in 1 out (HTP only)	€ 660.00

DMX - Analogue Conversion*

24 channel, rack-mounted DMX to analogue converter. Interfaces legacy analogue equipment with modern DMX512 controllers. Option to select each analogue output as either negative or positive control voltage (+/- 10V).

00-152-00	DeMux 24	€ 650.00
-----------	----------	----------

Ethernet - DMX Conversion*

1 Universe Ethernet box converts DMX to Art-Net or Art-Net to DMX. Supplied with EtherCON connectors.

03-081-00	1 Universe Ethernet Box	€ 325.00
-----------	-------------------------	----------

ArchiDMX Control Panel

Totally self-contained, fully programmable 64-scene, 512-channel DMX Control-panel with 5 illuminated colour-changing push-buttons. Can be flush-mounted into wall with US back box. Will operate on same DMX circuit as a control console with no merger required. Multiple Archi-DMX panels will inter-communicate wirelessly.

LF060-3003	ArchiDMX white (No PSU)	€ 850.00
LF060-3002	ArchiDMX black (No PSU)	€ 850.00
PSU12	12V PSU for ArchiDMX	€ 55.00
LF060-3006	ArchiDMX IR remote	€ 100.00
LF060-3007	ArchiDMX USB Stick for programming	€ 175.00
LF060-3012	USB cable for studio software	€ 245.00
LF060-USBB	Metal back box (US style)	€ 15.00

ArchiDMX can be flush or surface-mounted, with the addition of the appropriate US-style back box (not compatible with UK back-boxes). Please contact your Zero 88 sales representative for more information.

***Splitters, DeMux & 1U Ethernet Box are subject to availability. Please contact your Zero 88 Sales Manager for more information & Availability**