QSC Retail 01/2019 www.qsc.com



1/3

Image: Control of the second	ART	ART. NR. OLD	ART. NR. NEW		UK	EAN
TockMolis SSS DODDE Tockmolis of pilat allow here with a multime implit, 2 stores inputs, 2 stores inputs, 1 1228 destable/site TockMolis-16 SSS7 1800024 Tockmolis of pilat allow here with a multime implit, 2 stores inputs, 2 stores inputs, 1 1228 destable/site TockMolis-16 SSS7 1800024 Tockmolis of pilat allow here with a multime implit, 2 stores inputs, 1 2 stores inputs,				MIXERS		
IDEX. IDEX. <th< td=""><td></td><td></td><td>•</td><td></td><td></td><td></td></th<>			•			
Totachiki - 50 35.07 000000 Production and and a construct and and a construct and a construct. 0.120 000000000 Totachiki - 10* 55.02 0000000 6.0100000 6.01000000 6.010000000 6.0100000000 6.0100000000000000000000000000000000000	TouchMix-8	35696	10000826		£880	0684284064783
Toron MMI-3 DP 70 S2321 US00023 Cond-control digital and miner with 24 mc/mine indus. States or indus.	TouchMix-16	35697	10000824	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs,	£1 232	0684284064738
Number Description Control Section Control Section Control Section TMM-3 S9886 0000022 Address models for the ToxAMM-20 Pro- Section Section 684 0000220000000000000000000000000000000	TouchMix 20 Dro	50242	10000835		61 760	0684384067336
TMP:1 3944 0000022 is an encurs for for incrubate is not the incrubate is and Sourchass, is an Sourchass, and is an Sourchassourchassoure and the Sourchassoure and the Sourchassoure and t		50242	10000825		11760	0004204007320
TMO-2 SP308 0000023 ack mount is for the TackMan-30 Pro 46.1 64421400077 TS1 50307 0000021 TackMan-30 Pro Linds 12.0 50308 0000021 50308 503028 70408 50308	TMR-1	39442	10000822		£88	0684284066558
TTA-38 COVER 59388 0000023 Theochika-39 Protect 6105 66433466832 TK-38 COVER 59389 0000023 Theochika-39 Protector 613 66433466832 NEW CPS 57985 0000123 Theochika-39 Protector 616 66433466832 NEW CPS 57985 0000124 Theochika-39 Protector 616 6643446832 NEW CPS 57985 0000124 Theochika-39 Protector 613 6643446719 NEW CPS TOTE 57985 0000126 Schapadod not for CPD 6643446719 6643446719 NEW CPS TOTE 57885 0000126 Schapadod not for CPD 679 6643446719 NEW CPS TOTE 57885 0000126 Schapadod not for CPD 679 66434467917 NEW CPS TOTE 57887 0000126 Schapadod not for CPD 679 66434467917 NEW CPS TOTE 57887 0000205 Schapadod not for CPD protector not schapadod not schapa				Rack mount kit for the TouchMix-30 Pro		
THE-BUICOVER 59389 10008280 TruchMu-30 Pro cover E11 Sessansesse NEW CP SINS NEW CP SINS NEW CP SINS Sessansesse E13 Sessansesse E13 Sessansesse NEW CP SINS Sint packet with the segnetity of protable loadspeaker, 12' worder, advanced DSP, DNT, for use in the sessansesse E13 Sessansesse						
NEW (F2) ST985 IO02018 IO00V active. [Init weight, routing the foldspecies?] wooder, advanced DSP, DMT, for use amain PA, state monitor or instrument analytic. E1396 GesetAbst7165 NEW (F2) 57866 IO02018 IO00V active. [Init weight, routing the foldspecies?] wooder, advanced DSP, DMT, for use amain PA, state monitor or instrument analytic. E330 GesetAbst7165 NEW (F2) 57866 IO020205 IO02004 for USA state monitor or instrument analytic. E330 GesetAbst7265 NEW (F2) 57865 IO02205 IO02004 for USA state monitor or instrument analytic. E436 GesetAbst7265 NEW (F2) 57865 IO02205 IO02005 Forded coated state type for mounting the CP12 E114 GesetAbst7264 NEW (F2) S5867 IO02205 IO02005 Forded coated state type for mounting the CP12 E114 GesetAbst7264 NEW (F2) S58687 IO022020 Proved coated state type for mounting the CP12 E114 GesetAbst7264 NEW (F2) S58687 IO022020 IO0004 active, portale low/proved state state monitor coaters E114 GesetAbst7264 NEW (F2) S5868 IO00077 IN14						
NEW (CPS 57965 1002018 1000W artim, light weit, notify construction of structures angular. 6396 063242077182 NEW (CP12 57866 1002018 1000W artim, light weit, notify constructures angular. 6310 66432407784 NEW (CP12 57866 1002018 1000W artim, light weit, notify constructures angular. 6310 66432447784 NEW (CP3 0TCC 58695 10022021 Prevent context structures angular. 630 66432407694 NEW (CP3 0TCC 58695 10022021 Prevent context structures angular. 636 66432407693 NEW (CP3 0TCC 58695 10022021 Prevent context structures angular. 636 66432407693 NEW (CP3 0TCC 58695 10022027 Prevent context structures angular. 636 66432407693 NEW (CP3 0TCCC 58698 10022027 Prevent context structures angular structures angula						
NEW (CP3 57985 1002018 State motion instrument applied weight, portable loudspeaker, 8" wooler, advanced DSP, DMT, for use ISOBW active, light weight, portable loudspeaker, 12" wooler, advanced DSP, DMT, for use ISOBW active, light weight, portable loudspeaker, 12" wooler, advanced DSP, DMT, for use ISOBW active, light weight, portable loudspeaker, 12" wooler, advanced DSP, DMT, for use ISOBW active, light weight, portable loudspeaker, 12" wooler, advanced DSP, DMT, for use ISOBW active, light weight, portable loudspeaker, 12" wooler, ISOBW active, 12" contrast 6660 66642866584 K8.2 53669 10000076 2000W active, portable loudspeaker, 12" wooler, ISOBW active, 12" contrast 6600 66642866584 6660 666428666586 66642866586 6660				LOUDSPEAKERS		
NEW (CP3 Sys8e U002138 Armain PA stage monitor or instrument anguliter Liss Construction NEW (CP31 57986 10022018 1000218 Construction anguliter 510 Gescator7209 NEW (CP3 TOTE 57987 10022185 STARD CP3 TOTE 550 Gescator7209 NEW (CP3 TOTE 57987 10022185 Stardadd totis for CP3 CP3 Gescator7209 NEW (CP3 TOTE 57986 10022206 Provider control stellar to maximiliar severe weather. Not Interded for gescator7209 Gescator7209 NEW (CP3 TOTE 55988 10022205 Provider control stellar to maximiliar diverse weather. Not Interded for gescator7209 Feature angulitar angulitangulitar angulitar angulitar angulitar angulitangu						1
NEW (P12 37.98 0.0002169 km main PA state munitor circlinarum analitier 110 0.0002169 NEW (P3 TOTE 57.997 1.0002269 Sold padde tote for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD CPD 0.0002269 Provide row totel for the company outdoor use of in adverse weather. Not intended for CPB CPD	NEW! CP8	57985	10020188		£396	0684284077165
NEW (P3 F07E 57867 0000289 Soft padded tote for (P3 f07E 660 06622887/652 NEW (P3 F00TE 59866 10002001 Kph colspan="2">Kph colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2" NEW (P2 107E 59866 10002020 Kph colspan="2">Kph colspan="2">Kph colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2">Colspan="2" Colspan="2" Colspan="2" <thcolspan="2"< th=""> Colspan="2"</thcolspan="2"<>	NEW! CP12	57986	10020186		£510	0684284077219
NEWL (CPS YOLG: 58865 10022021 Powder coated stell yoke for mounting the CPB (FPB (FPB (FPB			4			
NEWI CPB OUTDOOR COVER S9866 U022206 beta second cover for temporary outdoor use of in adverse weather. Not intended for cover 544 048428407620 NUVI CP1 2TOKE 59886 U022205 Foundation or sustained severe weather. Not intended for cover 511 05422867572 NUVI CP1 2TOKE 59888 U022205 Foundation cover for response voltable in the property outdoor use of in adverse weather. Not intended for cover 528 664228407620 NVI CP1 2TOKE 59887 U022205 Foundation cover for response voltable in the property outdoor is stallared severe weather. Not intended for foundation cover for values of cover for response voltable in the property outdoor is stallared severe weather. Not intended for foundation cover for values of cover for response voltable interponse						
NEW For UniDOUT 59886 1002205 permanent outdoor installation or sustalands severe weather conditions. 644 64428607617 NIVI CP12 TOTE 59988 10022057 Founder coated steel yole for mounting the CP12 779 6442867617 NIVI CP12 TOTE 59988 10022057 Founder coated steel yole for mounting the CP12 779 6442867617 NIVI CP12 TOTE 59886 10022057 Founder coated steel yole for mounting the CP12 770 6442867617 NIVI CP12 TOTE 59887 10022057 Founder coated steel yole for mounting the CP12 750 6442867617 NIVI CP12 TOTE 55088 10022057 Founder coated steel yole for mounting the CP12 750 6442860514 K8.2 53677 1000776 DTT" working defaults on a staam and rate monitor severe 770 64428605354 K10.2 53649 10000774 DTT" working default pressts at subality field science to commonity-used 6704 644284063364 K12.2 53550 10020720 DTT" working default pressts at subality field science to commonity-used 6704 64428406326 K12.2 54466	NEW! CP8 YOKE	58085	10020204		£96	0684284076663
COVER Cover <th< td=""><td>NEW! CP8 OUTDOOR</td><td>58086</td><td>10020206</td><td></td><td>£ЛЛ</td><td>0684284076717</td></th<>	NEW! CP8 OUTDOOR	58086	10020206		£ЛЛ	0684284076717
NEWI CP12 YOKE B0807 U0020202 Proveder coalisidated yoke for mounting the CP12 E114 Descaperator NEWI CP12 OUTDOOR 58088 10020207 Permanent outdoor installation or sustained severe weather. Not intended for CP12 E124 Descaperator NEWI CP12 OUTDOOR 58058 10020207 Permanent outdoor installation or sustained severe weather conditions. E52 Descaperator K8.2 53627 1000074 DMT* waveguide, factory presst and savable/reclable scienes for commonity-used E604 DestazeMod834 K10.2 53669 10000074 DMT* waveguide, factory presst and savable/reclable scienes for commonity-used E704 DestazeMod834 K12.2 53660 10000074 DMT* waveguide, factory presst and savable/reclable scienes for commonity-used E702 DestazeMod834 NEWI KS112 56550 10000071 DMT* waveguide, factory presst and savable/reclable scienes for commonity-used E708 DestazeMod834 K212 C 54660 10000078 DMOW ultra compact powered subwoofer, long throw 12 inch worder, Gth order bandpass E708 DestazeMod834 K2212 C 54660 10000078 DMOW ultra compact powered	COVER	30000	10020200	permanent outdoor installation or sustained severe weather conditions.	144	0004204070717
NEWI CP12 OUTDOOR COVER 58088 Indio outdoor cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. E52 D66428407573 K8.2 55627 10000786 2000W active, portable loudspeaker, 12" worder, 1.75" compression driver, 105" contral permanent outdoor installation or sustained severe weather conditions. E660 0644284068354 K10.2 53649 10000776 DMT* waveguide, factory presst and savabile/reclallable scenes for commonly-used analizations. DB: For use a main or taxe monitor socker analizations. DB: For use a main or taxe monitor socker E704 0644284068354 K12.2 53650 10000780 DMT* waveguide, factory presst and savabile/reclallable scenes for commonly-used analizations. DB: For use a main or taxe monitor socker E704 0644284068376 K12.2 53650 10000780 DMT* waveguide, factory presst and savabile/reclallable scenes for commonity-used analizations. DB: For use as main or taxe monitor socker maintalizations. DB: For use as main or taxe monitor socker maintalization. DB: For use as main or taxe monitor socker maintalization. DB: For use as maintal sockers for commonity-used analization. DB: For use as maintal sockers for commonity-used analization. DB: For use as maintal sockers for commonity model maintalization. DB: For use as maintal sockers for commonity used analization. DB: For use as maintal sockers for commonity used analization. DB: For use as maintalization. DB: For use as maintal sockers for commonity used						
New Part Dorbotok 58088 10020207 permanent outdoor installation or sustained severe weather conditions. £52 088428407674 K8.2 53627 1000078 DMT* waveguide, factory presst and savable/rcallable scenes for commonly-used analizations. DP: For use as main or take monitor sinuscet 2000W active, portable loadspeaker, 10° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 10° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 12° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 12° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 12° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 12° wooler, 1.75° compression driver, 70° conical 2000W active, portable loadspeaker, 12° wooler, 1.75° compression driver, 70° conical 2000W active, cardiou discuster, 4.8789, which catters block powers of social speaker pole not includes 2000W active, cardiou discuster, 4.879, which catters, 1000 through 2.25° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler, 1.75° compression driver, 70° conical 2000W active, Cardioid subwoofer, dual 12° wooler,		58087	10020205		£114	0684284076670
COVER I C2 SERIES K8.2 5657 10000765 2000W active, portable loudspeaker, 8 ¹ woofer, 1.75" compression driver, 105" conical panilizations, DSP. For use as main or date monitor senseter 6660 0684234068354 K10.2 53649 10000776 Virve weigulee, factory presets and savoble/recalable scenes for commonly-used andications, DSP. For use as main or date monitor senseter 5704 0684234068354 K12.2 53650 10000776 Virve weigulee, factory presets and savoble/recalable scenes for commonly-used 5794 0684234068378 K12.2 53650 10000780 Dott "wive weigulee, factory presets and savoble/recalable scenes for commonly-used 5792 0684234068378 NEWI KS112 56550 10022211 endosure, 4 large, swivel casters, M20 threaded pole socket, speaker pole not included 5968 0684234078335 KS212C 54460 10000799 3600W dirtic compares to nave threaded pole socket, speaker pole not included £14.08 0684234078335 K8.2 TOTE 9333 10000778 Powder coads tasted velok for mounting the K3.2 vertically or horizontally to structures £132 0684234056456 K8.2 TOTE 9334 10000775 Powder coadstast ste	NEW! CP12 OUTDOOR	58088	10020207		£52	0684284076724
K8.2 53627 10000756 2000W attve, portable loudpeaker, 8" woder, 1.5" compression driver, 90" conical analizations. DP. Foruse as main or state monitor seeker. 6660 0684284068534 K10.2 53649 10000776 Veworput.3" (woder, 1.5" compression driver, 90" conical positizations. DP. Foruse as main or state monitor seeker. 5704 0684284068534 K12.2 53650 10000770 Veworput.3" (knowney). 5704 0684284068578 MUM" wwwpuide, factory presst and savable/recalable scenes for commonly-used analizations. DP. Foruse as main or state monitor seeker. 5704 0684284068578 NEWI KS112 55550 1000211 1000W ultra compact powerd subworder, long throw 12-inch worldr, 6th-order bandpass 5958 0684284068378 KS212C 54460 10000790 S00W active, Cardioid subworder, long throw 12-inch worldr, 6th-order bandpass 14 dob 0684284076335 KS210C 5150 10000778 S00W active, Cardioid subworder, dual 12" worders, 4 large swivel casters, dual M20 61 dob 068428405656 KS2 TOTE 51510 10000778 S000787 Nowder coated stel yoke for mounting the K3.2 vertically or horizontally to structures 613 0684284056561 K10.2 TOTE <t< td=""><td>COVER</td><td></td><td></td><td></td><td></td><td></td></t<>	COVER					
K8.2 53627 10000766 DMT* wavguide, factory presst and savable/recalible scenes for commonly-used and instraints. DR: Protues aximin or state montro scenester. 6660 0643284063514 K10.2 53649 10000774 DMT* wavguide, factory presst and savable/recalible scenes for commonly-used and instruments. DR: Protues aximin or state montro scenester. F704 0643284063514 K12.2 53650 10000771 DMT* wavguide, factory presst and savable/recalible scenes for commonly-used instruments. DR: Protues ax min or state montro scenester. F704 0643284063514 NEWI KS112 56550 10020211 endosure, 4 large, wivel caster, M20 threaded pole socket, speaker pole not included instrument, pole socket, speaker pole not included instrument, pole socket, speaker pole not included instrument, pole SUBIS ACCESSORIS 666828406352 K8.2 TOTE 9333 10000787 Soft, paded tote nade with weather resistant, hasy-duity Myon/Cordura** material. FITS 670 064828405694 K8.2 OUTDOOR CVER 14887 10000776 Soft, paded tote nade with weather resistant, hasy-duity Myon/Cordura** material. FITS 670 064828405694 K8.2 OUTDOOR CVER 14887 10000776 Soft, paded tote nade with weather resistant, hasy-duity Myon/Cordura** material. FITS 670 064828405694						1
K10.2 Soft Productions DS2 Provide as main or state monitor consister Provide control K10.2 53649 10000774 DMT" waveguide, factory prests and savable/recallable scenes for commonly-used anolications. DS2 For uses are main or state monitor consister £704 06482340683761 K12.2 53650 10000774 DMT" waveguide, factory prests and savable/recallable scenes for commonly-used anolications. DS2 For uses are main or state monitor consister £792 06482340683761 NEWI KS112 56550 10002011 10000W uitra compact powered subwoofer, long throw 12-inch woofer, Sth-order bandpass £968 0648234076335 KS212C 54460 10000791 3600W active, Cardiold subwoofer, dual 12" woofers, 4 large switel casters, dual M20 £1 408 c648234076335 K8.2 TOTE 9333 10000781 Soft, padded tote made: with weather resistant, havy-duit Mylon/Cordura" material. FITS £792 0648234068654 K8.2 TOTE 9334 10000778 Soft, padded tote made: with weather resistant, havy-duit Mylon/Cordura" material. FITS £792 0648234068654 K8.2 TOTE 9334 10000778 Fowder coated steel yoke for mounting the K3.2 vertically or horizontally to structures £123 064823406564 K10.2 TOTE 9334 100000778	K8.2	53627	10000786		£660	0684284068354
K10.2 53649 10000774 DMT* waveguide, factory pressts and savable/recallable scenes for commonly-used analization. SCP: Enruses analina trade monitor conserver £704 0648284068361 K12.2 53650 10000780 DMT* waveguide, factory pressts and savable/recallable scenes for commonly-used analization. SCP: Enruses analion as vable/recallable scenes for commonly-used analization. SCP: Enruses analion as vable/recallable scenes for commonly-used analization. SCP: Enruses analion as vable/recallable scenes for commonly-used analization. SCP: Enruses analion as vable/recallable scenes for commonly-used analization. SCP: Enruses analion as vable/recallable scenes for commonly-used analization. SCP: Enruses analization. SCP: SCP: SCP: SCP: SCP: SCP: SCP: SCP:	-					
Image: construction Constr				2000W active, portable loudspeaker, 10" woofer, 1.75" compression driver, 90° conical		
K12.2 53650 1000780 2000W active, portable loudspeaker, 1.75" composing driver, 75" conical both TT waveguide, factory presents and svabel/recalable scenes for commonly used andications. DSP. For use as main or stage monitor useaker £792 6549234058378 NEWI KS112 56550 10002011 1000W ultra compact powered subwoofer, long throw 12-infu woder, 6th-order bandpass enclosure, 4 large, swivel casters, M20 threaded pole socket, speaker pole not included £1040 6649234076335 KS121C 54460 10000799 3600W active, Cardioli subwoofer, dual 12" woofers, 4 large swivel casters, dual M20 £1040 0684234076335 K8.2 TOTE 9333 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura" material. FITS BOTH K3 AND NW K8 2 £102 6684234056954 K8.2 OUTDOOR COVER 14887 10000778 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures BOTH K3 AND NW K8 2 £123 6684234056954 K10.2 UTDOOR COVER 14887 10000778 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustalined severe weather conditions. FITS BOTH K3 AND NEW K10.2 £512 66842340567128 K10.2 UTEC 9334 10000777 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustalined severe weather conditions. FITS BOTH K10 661 6642340567128 K10.2	K10.2	53649	10000774		£704	0684284068361
Network Device of procession and states main in creates main in create						
NEW! K\$112 S6550 10020211 1000W ultra compact powered subwoofer, long throw 12-inch woofer, 6th-order bandpass enclosure, 4 large, swivel casters, M20 threaded pole socket, speaker pole not included £968 0684284075335 K\$212C 54460 10000799 3600W active, Cardiol subwoofer, dual 12" woofers, 4 large swivel casters, dual M20 £1 408 0684284075335 K\$212C 54460 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura ^m material. FITS £70 0684284055054 K\$2.TOTE 9333 10000789 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures £123 0684284057111 K8.2 OUTDOOR COVER 14887 10000778 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures £123 068428405718 K10.2 TOTE 9334 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 068428405718 K10.2 TOTE 9334 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 068428405718 K10.2 OUTDOOR 14888 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structure	K12.2	53650	10000780		£792	0684284068378
NEW! KS112 56550 10020211 100000 ultra compact powered subworder, jong throw 21, inch woofer, oth ander bapass enclosure, 4 large, swivel casters, M20 threaded pole socket, speaker pole not included £968 0684284076333 KS212C 54460 10000799 3600 vectors, Cardiol Subworder, dial 12* vooders, 4 large swivel casters, dual M20 £1 408 0684284076333 KS212C 9333 10000799 Soft, padded tote made with woather resistant, heavy-duty Nylon/Cordura [™] material. FITS BOTH KS AND NEW KS 2 £70 068428405694 K8.2 YOKE 55150 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS BOTH KS AND NEW KS 2 668428405694 K8.2 OUTDOOR COVER 14887 10000778 Nylon fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH KIO AND NEW KO2 £79 06842840569478 K10.2 OUTDOOR 14888 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056051 K10.2 OUTDOOR 14888 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284057126 K12.2 OUTDOOR 1						
NEWI KS112 56550 10020211 enclosure, 4 large, swivel casters, M20 threaded pole socket, speaker pole not included E968 0684284076335 KS212C 54460 10000799 3600W active, Carticloid subwoofer, dual 12" woofers, 4 large swivel casters, dual M20 £1 408 068428405635 K8.2 TOTE 9333 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura" material. FITS £70 0684284056054 K8.2 YOKE 55150 10000787 Powder coated steely oke for mounting the K8.2 vertically or horizontally to structures £123 0684284056054 K8.2 OUTDOOR COVER 14887 10000787 Powder coated steely oke for mounting the K8.2 vertically or horizontally to structures £123 0684284056054 K10.2 TOTE 9334 100007787 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura" material. FITS £79 0684284056051 K10.2 TOTE 9334 10000777 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura" material. FITS £79 0684284056054 K10.2 UDTDOR 14888 100007781 Forder coated steely oke for mounting the K10.2 vertically or horizontally to structures £132 06842840560561						
KS12LC S4460 10000799 Intraded oole socket. seeaker. pole included Image of the seeaker. pole included Image of the seeaker. See State SACESSORIES K8.2 TOTE 9333 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura ^{IM} material. FITS £70 068428405849 K8.2 YOKE 55150 10000787 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures £123 068428405694 K8.2 OUTDOOR COVER 14887 10000778 Nylon fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS £79 0684284056041 K10.2 TOTE 9334 10000778 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoo	NEW! KS112	56550	10020211		£968	0684284076335
KS12LC S4460 10000799 Intraded oole socket. seeaker. pole included Image of the seeaker. pole included Image of the seeaker. See State SACESSORIES K8.2 TOTE 9333 10000789 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura ^{IM} material. FITS £70 068428405849 K8.2 YOKE 55150 10000787 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures £123 068428405694 K8.2 OUTDOOR COVER 14887 10000778 Nylon fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS £79 0684284056041 K10.2 TOTE 9334 10000778 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoo				3600W active Cardinid subwonfer, dual 12" wonfers, 4 large swivel casters, dual M20		
K8.2 TOTE 9333 10000785 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS £70 0684284056054 K8.2 YOKE 55150 10000787 Powder coated stele yoke for mounting the K8.2 vertically or horizontally to structures £123 0684284056054 K8.2 OUTDOOR COVER 14887 10000788 Nylon fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS £52 0684284056051 K10.2 TOTE 9334 10000775 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS £79 0684284056051 K10.2 TOTE 9334 10000775 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS £79 0684284056051 K10.2 OUTDOOR 14888 10000775 Powder coated stele yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056056 K12.2 TOTE 9335 10000776 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent	K\$212C	54460	10000799		£1 408	0684284068385
K8.2 (101E 9333 1000/783 ROTH K& AND NEW K8.2 21/0 006428405004 K8.2 YOKE 55150 10000787 Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures £123 066428405711 K8.2 OUTDOOR COVER 14887 10000788 Nylon fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS £52 066428405478 K10.2 TOTE 9334 10000777 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 066428405478 K10.2 TOTE 9334 10000777 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 066428405428 K10.2 OUTDOOR COVER 14888 10000778 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 066428405435 K12.2 TOTE 9335 10000783 BOTH K12 AND NEW K10.2 Soft padded to te made with weather resistant, heavy-duty Nylon/Cordura** material. FITS £88 0664284057135 K12.2 TOTE 9335 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 0664284057135 K12.2 OUTDOOR		[
No.2. FORE S130 10000787 Notion fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS ROTH K& AND NEW KR 2 E52 0684284056061 K10.2 TOTE 9334 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056061 K10.2 YOKE 55151 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056061 K10.2 OUTDOOR COVER 14888 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056078 K12.2 TOTE 9335 10000776 for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2 £140 0684284056078 K12.2 OUTDOOR COVER 14889 10000782 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained s	K8.2 TOTE	9333	10000789		£70	0684284056054
K82.2 OUTDOOR COVER 14887 Noton fabric and mesh cover for temporary outdoor use of in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS £52 0684284058478 K10.2 TOTE 9334 10000777 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS £79 0684284056061 K10.2 YOKE 55151 10000777 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284067128 K10.2 OUTDOOR COVER 14888 10000776 For permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH		55150	10000787	Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures	6122	0694294067111
K82.2 OUTDOOR COVER 14887 10000788 intended for permanent outdoor installation or sustained severe weather conditions. FITS £52 0684284058478 K10.2 TOTE 9334 10000777 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura ^{1m} material. FITS £79 0684284056051 K10.2 YOKE 55151 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056051 K10.2 OUTDOOR 14888 10000776 for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10 £61 0684284056078 K12.2 TOTE 9335 10000778 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura ^{1m} material. FITS £88 0684284056078 K12.2 YOKE 55152 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 6684284056788 K12.2 YOKE 55153 10000782 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 £69 6684284056788 K12.2 OUTDOOR 14889 10000782 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe we	KO.2 TOKE	33130	10000787		1125	0084284007111
K10.2 TOTE 9334 10000777 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS £79 0684284056051 K10.2 YOKE 55151 10000777 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056051 K10.2 OUTDOOR COVER 14888 10000776 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284056051 K12.2 OUTDOOR COVER 14888 10000776 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10 £611 0684284056078 K12.2 TOTE 9335 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 0684284056078 K12.2 OUTDOOR COVER 14889 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 0684284056078 K12.2 OUTDOOR COVER 14889 10000772 Voke for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained seve		14887	10000788		£52	0684284058478
K10.2 TOTE933410000777BOTH K10 AND NEW K10.2E79068828405011K10.2 YOKE5515110000775Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures£1320684284067128K10.2 OUTDOOR COVER1488810000776Powder coated steel yoke for memorary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10£6110684284057128K12.2 TOTE933510000783Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS BOTH K12 AND NEW K10.2£880684284056078K12.2 YOKE5515210000781Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures For permanent outdoor installation or sustained severe weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2£790684284056078K12.2 OUTDOOR COVER1488910000782Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2£79068428405735K.2 LOC5515310000772Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains sub with writh grade guard.£180684284073251NEW! KS112 COVER5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for Sub with writh grade Sub with writh grade£114068428405638NEW! KS112 COVER5636810013737		1.007				
K10.2 YOKE 55151 10000775 Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures £132 0684284067128 K10.2 OUTDOOR COVER 14888 10000776 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10 fef1 068428405678 K12.2 TOTE 9335 10000781 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS BOTH K12 AND NEW K12.2 ff8 06842840578 K12.2 OUTDOOR COVER 14889 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures ff10 068428405789 K12.2 OUTDOOR COVER 14889 10000781 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 ff10 0684284057430 K.2 LOC 55153 10000772 Lock Out Kit for K2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains ff18 068428407730 KS LOC 56551 10020212 Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for ff18 068428407730 KS LOC 56368 10013737 Soft cover made with heavy-duty Nylon/C	K10.2 TOTE	9334	10000777		£79	0684284056061
K10.2 YOKESS1S1100007/3112200684284057125K10.2 OUTDOOR COVER1488810000776Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10£610684284058485K12.2 TOTE933510000783Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [™] material. FITS£880684284056078K12.2 YOKES515210000781Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures£1400684284067135K12.2 OUTDOOR COVER1488910000782Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12£790684284057435K12.2 OUTDOOR COVER1488910000782Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains£18068428407470KS LOC5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for Sub with grille guard.£140684284071381NEW! KS112 COVER56656110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for Sub with grille guard.£1140684284057351NEW! KS112 COVER56658110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for Sub with grille guard.£1140684284057361SP-16x2752210020221Threaded speaker pole extension - 35mm diameter, 16" len						
K10.2 US 1000 R COVER1488810000776for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K10£610684284058485K12.2 TOTE933510000781Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material. FITS BOTH K12 AND NEW K12.2£88068428405678K12.2 YOKE5515210000781Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures£1400684284057135K12.2 OUTDOOR COVER1488910000782Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12£790684284057492K.2 LOC5515310000772Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains. Sub with grille guard.£1400684284067470KS LOC5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Sub with grille guard.£1000684284067470KS212C COVER5636810013737Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard.£114068428406598SP-16x2752210020221Threaded speaker pole extension - 35mm diameter, 16" length£220684284057814M10 KIT-C959010013861Threaded speaker pole - 35mm diameter, 36" length£420684284057814M10 KIT-C959010020213M10 forged-shoulder, steel eyebolt Kit for Suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers£12068428405	K10.2 YOKE	55151	10000775		£132	0684284067128
COVER AND NFW K10.2 K12.2 TOTE 9335 10000783 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material. FITS £88 0684284056078 K12.2 YOKE 55152 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 0684284067135 K12.2 OUTDOOR COVER 14889 10000782 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2 £79 0684284058492 K.2 LOC 55153 10000772 Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains. Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Sub with grille guard. £114 0684284067470 NEW! KS112 COVER 56551 10020212 Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Sub with grille guard. £114 068428406735 SP-16x 27522 1002021 Threaded speaker pole extension - 35mm diameter, 16° length £22 0684284058164 SP-36 28309 10013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 0684284058164 M10 KIT-C 9590 10020	K10.2 OUTDOOR	14000	10000776		661	0004304050405
K12.2 TOTE 9335 10000783 Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material. FITS £88 0684284056078 K12.2 YOKE 55152 10000781 Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures £140 0684284067135 K12.2 OUTDOOR COVER 14889 10000782 Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2 £79 0684284058492 K.2 LOC 55153 10000772 Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains £12 068428407470 KS LOC 56551 10020210 Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains. £18 0684284071781 KS212C COVER 56551 10020212 Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura* material for Sub with grille guard. £114 06842840671781 KS212C COVER 56368 10013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 068428406899 SP-16x 27522 10020211 Threaded speaker pole extension - 35mm diameter, 16" length £22 068428405768	COVER	14888	10000776		£61	0684284058485
K12.2 YOKES515210000781BOTH K12 AND NEW K12.2F1400684284067135K12.2 YOKE5515210000781Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures£1400684284067135K12.2 OUTDOOR COVER1488910000782Nylon fabric and mesh cover for temporary outdoor use in adverse weather. Not intended for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2£790684284058492K.2 LOC5515310000772Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains.£120684284067470KS LOC5655210020210Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains.£180684284072351NEW! KS112 COVER5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura* material for Sub with grille guard.£1140684284068699KS212C COVER5636810013737Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard.£114068428405708M10 KIT-C959010020213M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers Bord mater, 36" length£620684284057068KWE3-year warranty extension (max. : 6 year) on the K/K2 series powered speakers£88-KW12211795100080312" two-way, 1000W, 75" axisymmetric, active loudspeaker for main or monitor£880068428405708	K12.2 TOTE	9335	10000783		£88	0684284056078
K12.2 YOKE3515210000781Control of the second of the secon						
K12.2 00 HDOR COVER1488910000782for permanent outdoor installation or sustained severe weather conditions. FITS BOTH K12 AND NEW K12.2£790684284058492K.2 LOC5515310000772Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains. Set Set Set Set Set Set Set Set Set Set	K12.2 YOKE	55152	10000781		£140	0684284067135
COVERAND NEW K12.2AND NEW K12.2AND NEW K12.2AND NEW K12.2K.2 LOC5515310000772Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains.£220684284067470KS LOC5655210020210Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains.£180684284072351NEW! KS112 COVER5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Sub with grille guard.£1050684284071781KS212C COVER5636810013737Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard.£1140684284068699SP-16x2752210020221Threaded speaker pole extension - 35mm diameter, 16" length£220684284059741M10 KIT-C959010013861Threaded speaker pole - 35mm diameter, 36" length£440684284057068M10 KIT-C959010020213M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers£88-KW122117951000080312" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor£8800684284059789	K12.2 OUTDOOR					
K.2 LOC 55153 10000772 Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input Gains. £22 0684284067470 KS LOC 56552 10020210 Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains. £18 0684284072351 NEW! KS112 COVER 56551 10020212 Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura* material for Sub with grille guard. £105 0684284071781 KS212C COVER 56368 10013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 068428405899 SP-16x 27522 10020221 Threaded speaker pole extension - 35mm diameter, 16" length £22 0684284059741 M10 KIT-C 9590 10020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers £52 0684284057068 KWE - - 3-year warranty extension (max. 6 year) on the K/K2 series powered speakers £52 0684284057068 KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 06842840579789	COVER	14889	10000782		£79	0684284058492
KS LOC 56552 10020210 Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains. £18 0684284072351 NEW! KS112 COVER 56551 10020212 Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Sub with grille guard. £105 0684284071781 KS212C COVER 56368 10013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 0684284058164 SP-16x 27522 10020221 Threaded speaker pole extension - 35mm diameter, 16" length £22 0684284059741 M10 KIT-C 9590 10020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers £82 0684284057068 KWE - - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £88 - KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284059789	K 2100	55153	10000772		£77	0684284067470
KS LOC5655210020210Code22407251NEW! KS112 COVER5655110020212Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura* material for Sub with grille guard.£1050684284071781KS212C COVER5636810013737Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard.£1140684284068699SP-16x2752210020221Threaded speaker pole extension - 35mm diameter, 16" length£220684284058164SP-362830910013861Threaded speaker pole - 35mm diameter, 36" length£440684284059741M10 KIT-C959010020213M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S107 and S12 loudsbeakers£52068428405768KWE3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers£88-KW12211795100080312" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor£880068428405789		55155	10000772	Leak Out Vit for VC Corios. Carou down tomacy proof cover for LCD mony and lime to Coins.		000.120.007.170
NEW! KS112 COVER S6551 10020212 Sub with grille guard. £105 068428407/81 KS212C COVER 56368 10013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 0684284068699 SP-16x 27522 10020221 Threaded speaker pole extension - 35mm diameter, 16" length £22 0684284058164 SP-36 28309 10013861 Threaded speaker pole - 35mm diameter, 36" length £44 0684284059741 M10 KIT-C 9590 10020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design SRT. S10T and S12 loudspeakers £52 0684284057068 KWE - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £52 0684284057068 KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284059789	KS LOC	56552	10020210	Lock out kit for ko series. Screw-down tamper-proof cover for LCD menu and input Gains.	£18	0684284072351
KS212C COVER 56368 I0013737 Soft cover made with heavy-duty Nylon/Cordura material for KS212C with grill guard. £114 0684284068699 SP-16x 27522 I0020221 Threaded speaker pole extension - 35mm diameter, 16" length £22 0684284058164 SP-36 28309 I0013861 Threaded speaker pole extension - 35mm diameter, 36" length £44 0684284059741 M10 KIT-C 9590 I0020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers £52 0684284057068 KWE -	NEW! KS112 COVER	56551	10020212		£105	0684284071781
KS212C COVER 56588 10013737 Constraint £114 0684284068999 SP-16x 27522 10020221 Threaded speaker pole extension - 35mm diameter, 16" length £22 06842840589164 SP-36 28309 10013861 Threaded speaker pole - 35mm diameter, 36" length £44 0684284059741 M10 KIT-C 9590 10020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic £52 0684284057068 KWE - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £88 - KW122 11795 1000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 068428405789	V63130 00:55	F6262	10010-0-			069420465555
SP-36 28309 IO013861 Threaded speaker pole - 35mm diameter, 36" length £44 0684284059741 M10 KIT-C 9590 I0020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic Design S8T. S10T and S12 loudspeakers £52 0684284057068 KWE - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £88 - KW122 11795 I000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284057089						
M10 KIT-C 9590 I0020213 M10 forged-shoulder, steel eyebolt kit for suspending K/K2 Series, KLA12 and Acoustic £52 0684284057068 KWE - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £88 - KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £80 0684284059789						
W10 K1-C 9590 10020213 Design S8T. S10T and S12 loudspeakers 152 0084284057088 KWE - - 3-year warranty extension (max.: 6 year) on the K/K2 series powered speakers £88 - KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284057088						
KW SERIES KW122 11795 10000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284059789		9590		Design S8T. S10T and S12 loudspeakers		0684284057068
KW122 11795 I0000803 12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor £880 0684284059789	KWE	-	-		£88	-
	KW122	11795	10000803		£880	0684284059789
						0684284059796

QSC Retail 01/2019 www.qsc.com



KW153	11797	10000807	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6,5" horn- loaded mid-range	£1 496	0684284059
KW181	11798	10000809	18" ported, 1000W subwoofer with integrated casters, threaded speaker pole included	£1 408	0684284057
		I	KW SERIES ACCESSOIRIES		-
KW SUS KIT 122	11957	10000802	M10 forged shoulder, steel eyebolt kit with solid aluminium pull-back bar for horizontal suspension of the KW122	£79	0684284057
KW M10 KIT-W	32672	10020208	Includes: 3x M10 forged-shoulder, steel eyebolt kit for suspending KW Series and Acoustic Performance loudspeakers	£52	0684284057
KW122 COVER	11959	10000804	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122	£96	0684284057
KW152 COVER	11960	10000806	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152	£105	0684284057
KW153 COVER KW181 COVER	11961 11962	10000808 10000810	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153 Soft cover made with heavy-duty Nylon/Cordura® material for KW181 with grille guard.	£114 £123	0684284057 0684284057
KWE	-	-	3-year warranty extension (max.: 6 year) on the K/K2-series powered speakers	£125 £88	-
		r	NEW! E-SERIES		1
NEW! E110	56548	10020191	10" two-way, passive loudspeaker, multi-purpose enclosure, 300 W (continuous) 1200 W (peak) power capacity, 85° axisymmetric coverage (updated E10)	£440	0684284071
NEW! E112	57455	10020193	12" two-way, passive loudspeaker, trapezoidal enclosure, 400 W (continuous) 1600 W	£528	0684284076
NEW! E115	57456	10020194	(peak) power capacity, 85° axisymmetric coverage 15" two-way, passive loudspeaker, trapezoidal enclosure, 500 W (continuous) 2000 W	£660	0684284076
			(peak) power capacity, 75° axisymmetric coverage		
NEW! E118SW	57457	10020195	18" passive subwoofer, 800 W (continuous) 3200 W (peak) power capacity	£836	0684284076
NEW! E215	55664	10000763	Dual 15" 2-way, externally powered, live sound-reinforcement loudspeaker	£1 188	0684284070
NEW! E218SW	55665	10000764	Dual 18" externally powered, live sound-reinforcement subwoofer	£1 408	0684284070
			NEW! E SERIES ACCESSOIRIES		
E110 COVER	49696	10020190	Soft padded cover. FITS BOTH E10 AND NEW E110	£79	0684284068
E112 COVER	49697	10020196	Soft padded cover. FITS BOTH E12 AND NEW E112	£88	0684284068
E115 COVER	49698	10020198	Soft padded cover. FITS BOTH E15 AND NEW E115	£96	068428406
E215 COVER	56059	10020201	Soft padded cover for E215	£105	068428407
E118SW COVER E218SW COVER	49699 56060	10020200	Soft padded cover. FITS BOTH E18SW AND NEW E118SW Soft padded cover for E218SW	£114 £140	068428407
NEW! E110 YOKE	56060	10020202	Soft padded cover for E218SW Powder coated steel yoke for mounting the E110 to structures	£140 £132	068428407
E112 YOKE	49701	10020192	Powder coated steel yoke for mounting the E110 to structures Powder coated steel yoke. FITS BOTH E12 AND NEW E112	£132 £140	068428406
E115 YOKE	49702	10020199	Powder coated steel yoke. FITS BOTH E12 AND NEW E112 Powder coated steel yoke. FITS BOTH E15 AND NEW E115	£158	068428406
M8 Kit A	49703	10020214	E Series Suspension Kit: 6x M8 Stainless Forged Eyebolts	£61	068428406
Caster Kit-L	55666	10000751	4" caster wheels (4 pack) 76mm x 80mm mounting bolt pattern for E218SW	£140	068428407
			TOURING LOUDSPEAKERS		
			KLA SERIES		
	12927		Multipurpose 2-way; 1,75" driver + 12" line array speaker, 90°H x 18° V, 500W LF - 500W		0684284058
KLA12 (BK-WH)	28373	10000793	HF, arcuate eq processing, self contained rigging system, ABS enclosure. Available in black	£2 200	0684284058
KLA181 (BK-WH)	14769	10000795	or white 18" ported, 1000W subwoofer with integrated flying hardware. Available in black or white	£2 288	0684284058
KLAIDI (DK-WII)	28374	10000755		12 200	0684284058
KLA12 TOTE	28311	10000794	KLA SERIES ACCESSORIES Soft padded tote for the KLA12 made with heavy-duty Nylon/Cordura® material	£105	068428405
	14883		Aluminium array frame for KLA Series enclosures. Available in black or white.		068428405
KLA AF12 (BK-WH)	28372	10000791		£880	068428405
KLA AF12 TOTE		10000792	Tote bag for the KLA AF12		
	28313			£114	068428405
KLA181 COVER	28313 30093	10000796	Soft padded cover for the KLA181 sub, constructed from heavy-duty Nylon/Cordura™	£114 £140	
KLA181 COVER			Soft padded cover for the KLA181 sub, constructed from heavy-duty Nylon/Cordura™ material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels		068428406
KLA181 COVER	30093	10000796	material	£140	068428406 068428405
KLA181 COVER ubwoofer caster kit	30093 28310	10000796 10000819	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels	£140 £88	068428406 068428405
KLA181 COVER ubwoofer caster kit	30093 28310	10000796 10000819	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION	£140 £88	068428406 068428405
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE	30093 28310 28312 ART NR	10000796 10000819 10000797	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES	£140 £88 £70 UK	068428406 068428405 068428405 EAN
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3	30093 28310 28312 ART NR 4951	10000796 10000819 10000797	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω	£140 £88 £70 UK £299	0684284060 0684284050 0684284050 EAN 0684284050
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5	30093 28310 28312 ART NR 4951 4952	10000796 10000819 10000797	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω	£140 £88 £70 UK £299 £396	068428406 068428405 068428405 EAN 068428405 068428405
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3	30093 28310 28312 ART NR 4951	10000796 10000819 10000797	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω	£140 £88 £70 UK £299	068428406 068428405 068428405 EAN 068428405 068428405
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5	30093 28310 28312 ART NR 4951 4952	10000796 10000819 10000797 10000797 10000766 10000767 10000768 10000769	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 1000 watts/ch at 4Ω	£140 £88 £70 UK £299 £396	068428406 068428405 068428405 EAN 068428405 068428405 068428405
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX3 GX5 GX7	30093 28310 28312 ART NR 4951 4952 12723	10000796 10000819 10000797 10000797 10000766 10000768	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 600 watts/ch at 4Ω GXD SERIES 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D	£140 £88 £70 UK £299 £396 £598	068428406 068428405 068428405 EAN 068428405 068428405 068428405
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX5 GX7 GXD4 GXD8	30093 28310 28312 ART NR 4951 4952 12723 39515 39516	10000796 10000819 10000797 10000797 10000766 10000766 10000768 10000769 10000769	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω GXD SERIES 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES	£140 £88 £70 UK £299 £396 £598 £484 £792	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199	10000796 10000819 10000797 10000797 10000766 10000767 10000769 10000770 10000817	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω C channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω	£140 £88 £70 UK £299 £396 £598 £484 £792 £396	068428406 068428405 068428405 EAN 068428405 068428405 068428405 068428406 068428406
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX5 GX7 GXD4 GXD8	30093 28310 28312 ART NR 4951 4952 12723 39515 39516	10000796 10000819 10000797 10000797 10000766 10000766 10000768 10000769 10000769	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω GXD SERIES 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES	£140 £88 £70 UK £299 £396 £598 £484 £792	0684284053 0684284064 0684284053 0684284053 0684284053 0684284053 0684284054 0684284064 0684284064 0684284066 0684284066
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD4 GXD4 GXD8 RMX850a RMX1450a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200	10000796 10000819 10000797 10000797 10000766 10000767 10000769 10000769 10000770	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 450 watts/ch at 4Ω, 430 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1200 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2000 watts/ch at 2Ω	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510	0684284066 0684284059 0684284059 EAN 0684284059 0684284059 0684284059 0684284066 0684284066 0684284066 0684284066
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX1450a RMX1450a RMX2450a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000769 I0000770 I0000817 I0000813 I0000814	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 700 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (Dridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704	0684284066 0684284059 0684284059 0684284059 0684284059 0684284059 0684284066 0684284066 0684284066 0684284066 0684284066
KLA181 COVER iubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX850a RMX1450a RMX2450a RMX4050a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000768 I0000769 I0000700 I0000817 I0000813 I0000815	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 700 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged) - dual power supply	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276	0684284064 0684284059 0684284059 0684284059 0684284059 0684284059 0684284069 0684284069 0684284069 0684284069
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX1450a RMX1450a RMX2450a RMX2450a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000768 I0000769 I0000700 I0000817 I0000813 I0000815	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 300 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 700 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply Channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply CDURING AMPLIFIERS	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406
KLA181 COVER iubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX850a RMX1450a RMX2450a RMX4050a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000768 I0000769 I0000700 I0000817 I0000813 I0000815	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS BESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 700 watts/ch at 2Ω 2 channels, 200 watts/ch at 8Ω, 450 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 450 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply COURING AMPLIFIERS PLD SERIES	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX1450a RMX1450a RMX2450a RMX2450a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000768 I0000769 I0000700 I0000817 I0000813 I0000815	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 1200 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406 068428406
KLA181 COVER iubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX1450a RMX2450a RMX2450a RMX2450a RMX2050a RMX2050a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202 34203 34203	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000769 I0000770 I0000817 I0000813 I0000814 I0000815 I0000816	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 300 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 3Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 8Ω, 1400 watts/ch at 2Ω 4000W amplifier using FAST channel combining technology. 4 channels. 500 watts/ch at 8Ω, 700 watts/ch at 2Ω	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276 £1 672 £1 320	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406 068428406
KLA181 COVER iubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX3 GX5 GX7 GXD4 GXD4 GXD8 RMX850a RMX1450a RMX1450a RMX2450a RMX2450a RMX2450a RMX25050a PLD 4.2 PLD 4.3	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202 34203 34203 34203	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000768 I0000769 I0000769 I0000817 I0000817 I0000813 I0000815 I0000816 I0000853 I0000853	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 80, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, 700 watts/ch at 2Ω 2 channels, 200 watts/ch at 8Ω, 450 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 4Ω, 600 watts/ch at 2Ω 2 channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 500 watts/ch at 4Ω, 2500 watts/ch at 2Ω 2 channels, 500 watts/ch at 4Ω, 420 watts/ch at 2Ω 2 channels, 500 w	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276 £1 672 £1 320 £1 320 £1 760	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406 068428406
KLA181 COVER ubwoofer caster kit KLA181 M10 KIT TYPE GX3 GX5 GX7 GXD4 GXD8 RMX850a RMX2450a RMX2450a RMX2450a RMX2450a RMX2450a RMX2450a RMX2450a	30093 28310 28312 ART NR 4951 4952 12723 39515 39516 34199 34200 34201 34202 34203 34203	I0000796 I0000819 I0000797 I0000797 I0000766 I0000767 I0000769 I0000770 I0000817 I0000813 I0000814 I0000815 I0000816	material Caster Kit for the E118SW and KLA181, includes four (4) individual caster wheels M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers AMPLIFIERS DESCRIPTION GX SERIES 2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω 2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 400 watts/ch at 8Ω, 1000 watts/ch at 4Ω 2 channels, 800 watts/ch at 8Ω, 1000 watts/ch at 4Ω, Class-D 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, Class D RMX SERIES 2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω 2 channels, 280 watts/ch at 8Ω, 300 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 channels, 1100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 100 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged) - dual power supply 2 Channels, 500 watts/ch at 3Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2500 watts/ch at 8Ω, 1400 watts/ch at 2Ω 4000W amplifier using FAST channel combining technology. 4 channels. 500 watts/ch at 8Ω, 700 watts/ch at 2Ω	£140 £88 £70 UK £299 £396 £598 £484 £792 £396 £510 £704 £1 276 £1 672 £1 320	068428406 068428405 068428405 068428405 068428405 068428405 068428406 068428406 068428406 068428406 068428406



QSC Retail 01/2019 www.qsc.com



All prices are ex. VAT. Supersedes all previous lists.

Subject to changes without prior notice.

